



## Kenya Power

*The Kenya Power & Lighting Co. Ltd.*  
*Central Office – P.O. Box 30099, Nairobi, Kenya*  
*Telephone – 254-02-3201000-Telegrams 'ELECTRIC'- [www.kenyapower.co.ke](http://www.kenyapower.co.ke)*  
*Stima Plaza, Kolobot Road*

**Our Ref: KP1/6A.1/PT/14/16/A59/AHO**

**2<sup>nd</sup> May, 2017**

M/s

Dear Sir/ Madam:

**CLARIFICATION No 3: ON ICB No: KP1/6A.1/PT/14/16/A59 FOR PROCUREMENT OF TOOLS AND ACCESSORIES FOR LIVE LINE MAINTAINANCE.**

The following responses are made to clarifications sought on various issues in the Bidding Documents for Procurement of Tools and Accessories for Live line maintenance.

Sr. No.	Query	Response
1.	Spiral Link Stick – Item No 98, What is the length?	The length is 57.5’’
2.	Lifting Auxiliary Arm – Item 97, Specify Spec, multiple options available	It is the Boom Mounted Auxiliary arm. To be mounted on squared boom. Should consists of boom mast and epoxiglas arm, complete with three roller wire holders with insulators
3.	Lifting Temporary conductor support insulator, item 103, Clarify if 4.2.2.11?	Yes, the item is as describe complete with insulators
4.	Stick 38 mm x Wire Tong Item 105, Length not specified	12 feet
5.	Stick 63 mm x Wire Tongs item 106, Length not specified	10 feet
6.	By-Pass Insulated Jumper sets item 119, Multiple options available	Minimum continuous current 400 A
7.	By-Pass Load Pick Up tool sets item 120, Multiple options available	12 feet cable length continuous current rating of 250 A
8.	Static Belt item 131, No specs	This is part of conductive Suit.
9.	Item 33. Cover cut out- Class 4 -No specifications	It is a plastic item as specified in group 4, manufactured and tested as per ASTM F712-06 classified as grade 1 cover item.
10.	Item 41 Leather glove protector - No specification & clarify if different from no. 53 below.	The specification is in group 4, 5.3.22 and has similar specs to item 53. Size 9 ½

Sr. No.	Query	Response
11.	Item 53. Glove leather protector - Please give size	Size 8 – 200, size 9 – 400, size 10 – 400 and size 11- 200. <b><u>Provide separate prices as item 53 a) to d) respectively</u></b>
12.	Item 58. Storage bag tool bucket- Please confirm if item no. 58, is different from no. 60 & 61 below. Clarify the size & quantity. For Item 60 and 61	Item 58 and 61 are similar and the size is 12" dia X 15".D Quantity is 80.
13.	Item 60	is Large Storage Tool bucket size 48"L X 7 " dia
14.	Item 59. Storage sticks bags - No specification	Similar to Large Storage Tool Bucket
15.	Item 66 Sticks storage Bag 5 80 Confirm if this item is different from item no. 59 above.	There are similar
16.	Item 96 Mechanical leather hand gloves - Please give size	Mechanical hand gloves are free size
17.	Previously answered Questions	
	Which standards should the training conform to? ISO? IEC? BS?	Live work standards and procedures are based on international norms and best practices as documented by the various authorities such as IEC, IEEE, and work by EPRI, CIGRE and other similar authorities. The Organisation offering the training should show their quality management systems The training should conform to a code of practice which the trainer is expected to provide a draft.

Yours faithfully,

For: **KENYA POWER & LIGHTING COMPANY LIMITED.**



**Eng. MICHAEL ADHIAMBO**  
**MANAGER, PROJECTS DEVELOPMENT, TURNKEY**