## **DESCRIPTION OF OFFICES/DEPOTS SPACES TO BE CLEANED(APPENDIX I)**

# <u>TENDER NO.KP1/9A.2/OT/37/ADM/20-21 – FOR PROVISION OF CLEANING SERVICES</u> <u>COMPANYWIDE FOR YWPWD – LOT II:</u>

#### 1. COAST

PREM		ON AND SUMMARY OF C y M'mbone - 0722622204 &		ATIONS – COAST REGION 12354625
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
1	UKUNDA COMMERCIAL OFFICE	Beach Block for stores and yard Located on Ukunda – Diani road	Office	<ul> <li>Commercial office extends to approximately 4928sq.ft with a yard at the back</li> <li>Floor finish is Ceramic tiles</li> <li>Floor finish in the washroom is Ceramic tiles for the 8no. washrooms</li> </ul>
Minin	num No. Of workers	required – 2	-1	
2	UKUNDA STORES	Beach Block for stores and yard Located on Ukunda – Diani road	Stores & Yard	<ul> <li>Stores and the back yard measures 1573. sq. ft. &amp; 6157 sq.ft respectively</li> <li>Has 2 toilets with mazeras floor finish.</li> <li>The stores has mazeras floor finish</li> </ul>
Minin	num No. Of workers	required – 1		
3	VOI COMMERCIAL OFFICE	Located within Ekklesia building in Voi Town	offices	<ul> <li>Comprises of commercial offices, emergency offices, plus toilets (gents and Ladies). The office measures approximately 3,149sq.ft.</li> <li>The floor is finished in terrazzo, carpet and cement screed.</li> </ul>
Minin	num No. of workers i	required – 2		
4	VOI STORES	Petrol Station on Voi – Msa Road	Stores	Measures 724 sq.ft

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
Minir	num No. of workers 1	required – 1		
5	VOI YARD	Yard- Next to Tsavo Park opposite Total	Yard	<ul> <li>Yard measures about 4 acres.</li> <li>We have a pit latrine at the yard with screed finish on the floor</li> </ul>
Minir	mum No. of workers i	required – 1		
6	WUNDANYI OFFICE	Located within Tatecoh Building	Offices	<ul> <li>Comprises of an office with a store and separate</li> <li>The office extends to approximately 525 sq.ft.</li> <li>floor finish – Ceramic tiles finishing</li> </ul>
Minii	num No. of workers i	required – 1		
7	TAVETA OFFICE	Walking Distance from Taveta Market within Taveta Town	Offices	<ul> <li>Comprises of commercial offices and toilets (gents and Ladies). The office measure approximately 1,036sq.ft.</li> <li>Office floor is screed finish</li> </ul>
Miniı	num No. of workers i	required – 1		
8	TAVETA YARD	2 Taveta- Along Chala Hotel Road	Yard	<ul> <li>The yard measures about 0.3</li> <li>acres</li> <li>Pit latrine</li> </ul>
Miniı	num No. of workers i	required – 1		

Contact Person – **Joy M'mbone - 0722622204 &** Janet Nyabicha – 0712354625

	Contact Leison 60	y 1/1 moone	Janet Tyubicha 0712	30 1020
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
9 Minin	KILIFI OFFICE	5054/333 Kilifi.  Located within Kilifi Teachers Sacco Building  equired – 2	Offices	<ul> <li>We have additional space of with the same finishing of 1053 sq. ft.</li> <li>The offices measure approximately 1450sq.ft.</li> <li>ceramic tiles finishing in the washrooms</li> </ul>
10	KILIFI STORES YARD	Adjacent to the Kilifi substation	STORES/POLE YARD	<ul> <li>The yard measures approximately 0.75 acres and is under grass complete with a guard house. The yard has a boundary wall.</li> <li>We have a pit latrine with</li> </ul>

screed floor.

## Minimum No. of workers required – 2

11	RABAI	Located off Mazeras-	Offices & Staff	The office block extends to
	CONTROL	Kaloleni Road	Quarters	approx. <b>8,525sq.ft</b> .
	STATION			<ul> <li>Granite tiles in the office area</li> <li>Washrooms with ceramic tiles finish</li> <li>Additional office measuring approximately 15,000 sq.ft</li> <li>The compound extends to approximately 30.6 acres</li> </ul>
				with vegetation which
				needs to be frequently
				maintained

# $\label{eq:minimum No. of workers required - 10} Minimum \ No. \ of \ workers \ required - 10$

Contact Person – **Joy M'mbone - 0722622204 &** Janet Nyabicha – 0712354625

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
12	LAMU COMMERCIAL OFFICE	807/1/Lamu- Located along Kenyatta road overlooking the ocean	Offices	<ul> <li>The commercial office measures approximately 1,200sq.ft.</li> <li>Floor finish – Ceramic tiles</li> <li>Finish in the washroom– Ceramic tiles</li> </ul>
Minin	num No. of workers r	equired – 2		
13	LAMU EMERGENCY OFFICE /STORE	Located within Lamu town adjacent to Kengen premises	Offices	• The emergency office which is 30 meters from Kengen power generation measures approximately <b>747 sq.ft.</b> The stores which is adjacent to the emergency office measures approximately <b>702 sq. feet</b> and an enclosed yard measuring <b>2,295 sq.ft.</b> The floor is finished in cement screed.
Minin	num No. of workers r	equired – 1		
14	MALINDI DEPOT	Situated within Malindi Township behind the new Malindi Bus/Matatu terminus	Offices	<ul> <li>Developed with an office block comprising of offices of approx. 542sq.ft.         Ablution block with bathrooms approx. plinth of 218sq.ft. And residential blocks. Each block has a plinth of approx. 1177sq.ft.             Next to the residential units is a poles storage yard.         </li> <li>The floor is finished in red oxide cement screed.</li> <li>The plot extends to approximately 2.33acres.</li> <li>finish in the washroom – ceramic tiles</li> </ul>

 $\label{eq:minimum No. of workers required - 3} Minimum \ No. \ of \ workers \ required - 3$ 

Contact Person – **Joy M'mbone - 0722622204 &** Janet Nyabicha – 0712354625

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
15	MALINDI COMPLEX OFFICES	Located within Malindi Complex Building	Offices	<ul> <li>Comprises of a banking hall with offices</li> <li>The office measures approximately 3,400sq.ft. in total.</li> <li>Floor is screed finish</li> <li>Two toilets with Ceramic tiles finish</li> </ul>
Minii	num No. of workers r	equired – 2		
16	NYALI OFFICE	Located within the Nyali Nakumatt premises	Offices	<ul> <li>Measures approximately 5270sq.ft.</li> <li>Floor finish – ceramic tiles finishing</li> </ul>
Minii	num No. of workers r	equired – 1		
17	GANJONI STAFF QUARTERS	Located on Sauti Ya Kenya Road off Moi Avenue.	Residential	<ul> <li>The property consists of 26 three-bedroom flats.</li> <li>Cabin panels, mirrors and car doors</li> <li>Cleanig of common areas and the lift lobby</li> <li>Cleaning of 2No. lift cars</li> </ul>
Minii	num No. of workers r	equired – 1		
18	SHOW GROUND PAVILLION	Located in Nyali ASK grounds, Mombasa	Offices	<ul> <li>This is a 3-storey building.</li> <li>It measures approximately 23,949sq.ft.</li> <li>Floor finish – Ceramic tiles finish</li> <li>Finish in the washroom –</li> </ul>

ceramic tiles finishing

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK			
Minii	Minimum No. of workers required – 1						
19	NYALI LEAVE HOUSES & STAFF QUATRES	Located in Nyali Estate, Mombasa	Staff quarters	Mn/1/525  Located on Mama Ngina Road adjacent to Mombasa academy in Nyali  The compound extends to 2.1 acres			
				Mn/1/1190			
				Located on Nyoka road Opposite Nyali Post office			
				The land extends to approximately two acre			
				Mn/1/1653			
				Located on links road near Nyali primary. The land extends to approximately two acre			
				Mn/1/517			
				Mn/1/518			
				<ul> <li>Ensure grass is cut short all the time</li> <li>Attend and maintain flower beds/plant flowers</li> <li>Trim fences and prune tress</li> </ul>			

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
Mini	mum No. of workers r	equired – 3		<ul> <li>Sweep the access road, car park and the area around the house daily.</li> <li>Garbage collection and disposal on weekly basis also general and ground maintenance.</li> <li>Laundry services for beddings when need be (approximately twice a week) and curtains (once permonth)</li> <li>Cleaning of the house, seats and carpet vacuuming</li> </ul>
20	LIKONI	Located on Shelly Beach Rd Likoni a short distance		
	COMMERCIAL OFFICE	from Likoni Ferry	Offices	<ul> <li>The commercial office measure approximately 1,220sq.ft</li> <li>Has 5 no. toilet with washroom and overhead shower,</li> <li>floor finish – ceramic tiles</li> <li>Indicate finish in the washroom - ceramic tiles</li> </ul>
Mini		from Likoni Ferry	Offices	<ul> <li>measure approximately</li> <li>1,220sq.ft</li> <li>Has 5 no. toilet with washroom and overhead shower,</li> <li>floor finish – ceramic tiles</li> <li>Indicate finish in the</li> </ul>

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
22	HOLA OFFICE	located at Hola town	Offices	<ul> <li>Has 3No. toilets with wash rooms</li> <li>The office measure approximately 1,130sq.ft</li> <li>floor finish – Ceramic tiles</li> <li>finish in the washroom – Ceramic tiles</li> </ul>
Minir	num No. of workers i	required – 1		
23	HOLA STATIO & /YARD	Located at Hola town		<ul> <li>A decommissioned substation on a 5 acre plot</li> <li>Consists of 2 offices and a store with cement screed floors</li> <li>Has 2 washrooms all cement screed floors</li> <li>Has a poles yard</li> <li>The compound is with grass and a solar farm</li> <li>Fenced with barbed wire.</li> </ul>
Minii	num No. of workers 1	required – 1		
24	MPEKETONI COMMERCIAL OFFICE	Located in Mpeketoni town	Offices	<ul> <li>The floor is finished in screed cement floor.</li> <li>Has 3No. toilets with wash rooms</li> <li>finish in the washroom – screed finish</li> <li>The office measure approximately 1400sq.ft</li> </ul>

Contact Person – **Joy M'mbone - 0722622204 &** Janet Nyabicha – 0712354625

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
25	MPEKETONI STATION/YARD			<ul> <li>The compound extends to approx. 10 acres</li> <li>The store has cement creed floor</li> <li>It has 2 washrooms with ceramic tile finish</li> <li>The compound is grass, plants and trees Perimeter fence is barbed wire.</li> </ul>
Minii	mum No. of workers i	required – 2		
26	KIPEVU CONTROL OFFICE.	Located next to Kengen kipevu offices		<ul> <li>The compound extends to approximately 10.4 acres.</li> <li>floor finish – terrazzo/ceramic tile finish</li> <li>finish in the washroom – ceramic tiles finishing</li> </ul>
Miniı	mum No. of workers i	required – 1		
27	MTWAPA OFFICE	Mombasa – Malindi rd in Mtwapa mall	Office	<ul> <li>The office extends to approximately 1,223sq.ft.</li> <li>floor finish –ceramic</li> </ul>
Miniı	mum No. of workers i	required – 1		
28	MARIAKANI OFFICE	Off Mombasa – Nairobi highway next to Co- operative bank	Offices	<ul> <li>Comprises of 2No office spaces, and 2No toilets (male &amp; female).</li> <li>The floor is finished in screed cement floor.</li> <li>finish in the washroom –</li> </ul>

Ceramic tiles finish

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				The office measure approximately 1,130sq.ft
Minir	num No. of workers	required – 1		
29	MWABUNGO STORES YARD	Diani next to Galu Primary school on lunga Lunga Rd	POLE YARD	• The yard measures approximately 0.25 acres and is under grass. The yard has no boundary wall but a chain linked fence
Minir	num No. of workers	required – 1		
30	KYUNGA	KYUNGA TOWNSHIP	POWER STATION	The station is approx. 3/4 of an acre and consists of 2 offices, a store washroom and staff quarters all with floor tiling. The fence is live and barbed wire. The compound is under grass and plants.
Minir	num No. of workers	required – 1		
31	FAZA	FAZA TOWNSHIP	POWER STATION	The station is approx. 1 acre and consists of 2 offices, a store washroom and staff quarters with floor tiling finish. The fence is live and barbed wire. The compound is under grass and plants.

	1			
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
32	BAMBURI S/STATION - MANNED	WITHIN MOMBASA COUNTY	SUBSTATION	Approx. 5 acres. Consists of 2 Power Stations, a control room and washrooms. Control room floor is granite finish. The washroom floor finish is ceramic tiling. The compound is under grass and stone walling all round.
Minin	num No. of workers r	equired – 1		
33	SAMBURU OFFICE	Within Samburu along Mombasa Nairobi Highway	OFFICE	The office measures approximately 1,040 square feet
Minin	num No. of workers r	equired – 1		
34	RAMISI OFFICE	Within Kwale/Lungalunga road in Kwale County	OFFICE	• The office measures approximately 700 square feet
Minin	num No. of workers r	equired – 1		
35	MINJILA OFFICE	At Minjila center along Garsen/ Hola town in Tana RiverCounty	OFFICE	The office measures approximately 1,200 square feet
Minin	num No. of workers r	eguired – 1	1	

## 2. MT KENYA

# PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – MT KENYA REGION Contact Person – Filex Minai Admin. Officer (0722-634840)

PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK			
Nanyuki Office	Within Nanyuki CBD along Nanyuki safari club rd off main Nanyuki Nairobi highway	Offices	The premise comprises; A prefab office 570 sq ft. The floor finish is granite floor tiles. The Emergency office, the ladies' washroom, and kitchen are housed separately in control building within the same compound. There are 2No. WC and 3 No. pit latrine.  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first			
Minimum no of wo	rkers required is 1	(no)				
Isiolo Office	Within Isiolo Town	Offices	The premise comprises; 2 no. offices and 4 WCs. Floor finish is ceramic tiles. Area 2500sq.ft,			
Minimum no of workers required is 2						
Meru Office	Meru Town next to Cooperative Bank Makutano	Offices	The premise comprises; Office space-covering 5500sq.ft, Motor vehicle repairing shed 4000sq.ft, Open yard 8000sq.ft, 6Nos. WCs and urinal. The ground floor finish in the offices is terrazzo while 1st and 2nd floor finish is ceramic tiles. Floor finish in wet area is ceramic			
Minimum no of wo	orkers required is 3	(no)				
Chuka Office	Chuka Town Next to Kenya Commercial Bank	Offices	The main front office space is 900 sq. ft with ceramic tiles floor, and a back office space 750 sq. ft with screened cement floor. The back office houses the emergency office, stores, meter reading, veranda and kitchen. The office has 3 No. WCs. Floor finish in the washroom is screed			
	Minimum no of woo	Nanyuki Office  Nanyuki CBD along Nanyuki safari club rd off main Nanyuki Nairobi highway  Minimum no of workers required is 1  Isiolo Office  Within Isiolo Town  Minimum no of workers required is  Meru Office  Meru Town next to Cooperative Bank Makutano  Minimum no of workers required is 3  Chuka Office  Chuka Town Next to Kenya Commercial	Nanyuki Office  Within Nanyuki CBD along Nanyuki safari club rd off main Nanyuki Nairobi highway  Minimum no of workers required is 1 (no)  Isiolo Office  Within Isiolo Town  Offices  Meru Office  Meru Town next to Cooperative Bank Makutano  Minimum no of workers required is 3(no)  Chuka Office  Chuka Town Next to Kenya Commercial  Offices			

5.	Embu Office  Minimum no of wor	Sparko House next to the Embu Market	Offices (no)	The Ground floor accommodates the offices and customers' banking hall. Underground space comprises 5Nos. offices, 5 No. WCs a, pit latrine and parking space. Office floor finish is ceramic tiles. The Office space is 2622 sq.ft  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
6.	Kiganjo 132 kv Substation(offices)	Off Nyeri / Nanyuki Rd	Substation offices, stores go-down, poles	The premise comprises poles & transformers yard, 7WC, kitchen, 4 No. bathrooms, urinal,
	& go down		& transformers yard	lobby, Control rooms, a store, guard house and a feeder rooms. Floors are finished in ceramic tiles. Office space is 8000 sq.ft. The scrubs and vegetation should well-kept and neat  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
	Minimum no of wor	kers required is 4	(no)	
7.	Maua Office	Along Maua – Meru road on Catholic Diocese of Isiolo Building	Offices	The premise comprises office space of about 1,547sq.ft 2No WC and parking yard. The office floor finish is ceramic tiles.  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
	Minimum no of work	kers required is 1	(no)	
8.	Kerugoya Office	At Professional	Offices	The premise comprises floor office space of 2250 sq.ft plus 4 No WC, urinal and kitchen. The floor finish is ceramic tiles

9.	Blue Valley compound in Nyeri  Minimum no of work	Nyeri Town  sers required is 1	Staff Quarters  (no)	Comprises 8 (no) residential houses occupied by staff. The fence is K-apple and there is a pit latrine on site.  The compound is about 2.5 acres  Grass cutting should be mechanized using lawn mowers. The scrubs and vegetation should well-kept and neat  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
10.	Nanyuki Leave House	Near Sports arm Hotel next to Likki Hill School	Staff Quarters	Comprises a three bedrooms leave house and a servants' quarter. The fence is K-apple.  The compound is about 4 acres .There is septic tank for the main house and staff quarters and a separate pit latrine.  Grass cutting should be mechanized using lawn
	Minimum no of work	care required is 1	(na)	mowers. The scrubs and vegetation should well-kept and neat Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
	William no of work	ers required is 10	(110)	
11.	Nanyuki Town staff Quarters	Godown Street next to Cereal Board	Staff quarters	The premise comprises  4No. blocks of residential maisonettes (9 maisonettes and guard house and 1 No. WC The compound is approximately 1.017 acres The fence is K-apple. Grass cutting should be mechanized using lawn mowers. The scrubs and vegetation should well-kept and neat Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first

12.	Kamburu Energy Transmission offices	Kamburu 132 Kv Substation	Offices/Control and relay room	The premise comprises ofices space, a control room 2 WCs, 1 No. Bathroom and urinal. The compound is about approximately 1800sq ft. Floor finish is terrazzo at the entrance and cement screed in the offices  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first  The scrubs and vegetation should well-kept and neat
	Minimum no of wor	kers required is 1	(no)	
13.	Kivaa office	Kivaa Mkt	Offices	The premise comprises office space approximately 2405sq ft. With 2 NO. pit toilets and bathrooms/stores the Floor finish is ceramic tiles  Emptying of septic tanks and /pit latrine at least
				once quarterly or when filled up whichever comes first
	Minimum no of wor	kers required is 1	(no)	
14.	Marimanti Office	Kathima building near Tharaka district hospital	Offices	The premise comprises of office space of 450 sq. ft with screened cement floor, 2 washrooms and 1 urinal
	Minimum no of wor	kers required is 1	(no)	
15.	Merti Office	Merti town	Offices	The premise comprises office space of 784 sq. f and 1 No. pit toilet. The office floor finish is ceramic tiles
				Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
	Minimum no of wor	kers required is 1	(no)	
16.	Othaya Office	Along othaya  – Nyeri Road	Offices	The premise comprises office space of 2600 sq ft. the Floor finish is ceramic tiles and there are 3 No. WCs and a kitchen
	Minimum no of wor	kers required is 1	(no)	

17.	Mwea Office	Mwea Town	Offices	The premise comprises of office space of 1465sq ft. the Floor finish is ceramic tiles and 4 No.
				WCs and urinal
	Minimum no of wor	kers required is 1	(no)	
18.	Nyeri Leave Office & Record Centre	Nyeri Ring RD	2 Houses on different plots but in the same locality	Comprises 2 No. three bedrooms leave houses and a servants' quarter on two separate plots. 1 No WC. The fence is K-apple.  The compound is about 1.25 acre. There are septic tanks for the main house and staff quarters and a separate pit latrine.  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first  The scrubs and vegetation should well-kept and neat
	Minimum no of wor	kers required is 1	(no) –	
19.	Kangema office	Neighbouring Gakira open market	Offices and yard	The premise comprises offices measuring approximately 3000 ft .It's accommodation details including offices, 2No. WCs, and wash hand sink,2 No. pit latrine, urinal and a yard measuring approx. half acre Floor finish is ceramic tiles.
				The scrubs and vegetation should well-kept and neat Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
	Minimum no of wor	kers required is 2	(no)	

20.	Laisamis office	Laisamis	Offices, guard house,	The buildings area is approximately 200sq
		township	Guest House, Power	<b>meters</b> but the entire compound is on 6 acres.
		along	house.	The compound comprises an office block, power
		Marsabit-		station, drive ways, guest house and guard house
		Isiolo highway		
				The Floor finish is PVC, there are 2 No. WC
				toilets, 2 No. bathrooms and urinal. The
				compound is served by a septic tank.
				Emptying of septic tanks and /pit latrine at least
				once quarterly or when filled up whichever
				comes first
				The scrubs and vegetation should well-kept and
				neat
	Minimum no of work	ers required is 1	(no)	
21.	Merti power station	Within Merti	Offices, guard house	The buildings area is approximately 200sq
		township	Power house	mandama but the entire command is on 5 come
		township	1 over nouse	<b>meters</b> but the entire compound is on 5 acres.
		township	Tower node	The compound comprises an office block, power
		township	Tower House	^
		townsmp	Tower nouse	The compound comprises an office block, power
		townsmp	Tower nouse	The compound comprises an office block, power station, drive ways, and guard house.
		townsmp	Tower nouse	The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC
		townsmp	Tower nouse	The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank
		to wasang	Tower House	The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank  Emptying of septic tanks and /pit latrine at least
		to wasang	TOWER HOUSE	The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever
		to many	Tower House	The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
		Commission	TOWER HOUSE	The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever
	Minimum no of work	•		The compound comprises an office block, power station, drive ways, and guard house.  The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first  The scrubs and vegetation should well-kept and

	About 192 km	Offices, guard house,	The buildings area is approximately 200sq
station	from Marsabit	Guest House, Power	<b>meters</b> but the entire compound is on 5 acres.
		house.	The compound comprises an office block, power
			station, drive ways, guest house and guard
			house.
			The Floor finish is PVC, there are 2 No. WC toilets, 2 No. bathrooms and urinal. The area is served by a Septic tank
			Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever
			comes first
			The scrubs and vegetation should well-kept and
			neat.
Minimum no of work	kers 1		
Muthatari Pole	Along Embu-	Offices & pole yard	The buildings area is approximately 400sq
yard (Embu)	Kamburu	and guard house	<b>meters</b> but the entire compound is on 7.3 acres.
	highway		The compound comprises an office block, 2
			urinal, 4 WC toilets (2 ladies and gents 2 each),
			pit latrine and guard house.
			Floor finish is terrazzo and there is a septic tank.
			Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
			Grass cutting should be mechanized using lawn
			mowers. The scrubs and vegetation should well-
			kept and neat.
		•	•
	Minimum no of worl	Minimum no of workers 1  Muthatari Pole Along Embu-	Minimum no of workers 1  Muthatari Pole yard (Embu)  Along Embu-Kamburu  Muthatari Pole yard and guard house

24.	Moyale Depot and Office	Moyale Town	Office & Staff Quarters & Guest houses	The area is about 10 acres comprising Town office, O&M office at the Depot, 13 No. residential staff quarters, a power house, guest House, 5(no) pit latrines, Social Hall and a compound. The fence is live.  The Office floor finish is ceramic tiles and there is a septic tank at the depot. Grass cutting should be done.  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first  Grass cutting should be mechanized using lawn mowers. The scrubs and vegetation should well-kept and neat
	Minimum no of work	xers 2		
25.	Marsabit Office,Power station and Staff Quarters	Marsabit Town	Office & Staff Quarters	. This refers to the office block, power house, 8 no WCs, 4 No bathrooms, 2(no) pit latrines and 8 No. residential staff quarters The Office floor finish is PVC tiles and there is a septic tank. The area is about 5 acres.  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first Grass cutting should be mechanized using lawn mowers. The scrubs and vegetation should well-kept and neat
	Minimum no of work	xers 2		
26	Kabati office	Within Kabati township off Kenol-Thika highway	offices	The premise comprises part of 1 <sup>st</sup> floors measuring approximately 1967 sq ft .It's accommodation details including offices, kitchen, and 4No. WCs, bathrooms, urinals and WHB, windows, toilets Floors are finished is ceramic tiles to all offices and wet rooms.
	Minimum no of work	xers 1		_ I

27	Kagumo stores &	Within	stores & yard	
	pole yard	Kagumo 33 kv substation		The premise comprises stores cum office space in a 40 ft container, one pit latrine,1 No WCs,urinal, a guard house and Yard of appx 3/4 acrea. The office space is a refurbished container of about <b>400 square feet,</b> Emptying of septic tanks and /pit latrine at least
				once quarterly or when filled up whichever comes first
	Minimum no of wor	kers required - 1	(no)	
28	Muranga office	AFC building Muranga opposite lands office	Offices	Rentable space of 3204 sq ft comprising a banking hall floor, cashiers cubicles and offices, 5No. WC, WHB and kitchen Floor finish is terrazzo in wet areas and PVC tiles, cement screed, ceramic tiles in some offices.
	Minimum no of work	kers required is 3	(no)	
29.	Kangari office	Kangari shopping Centre,Kigumo, Murang'a	offices	The premise comprises office space approximately 2265 Sq ft 3 No WC and a urinal. Office floor finish is ceramic tiles.
	Minimum no of wor	kers required is 1(	(no)	
30	Muranga Stores & Pole Yard and Substation	Kongoini rd off Murang'a- Nbi rd	Office/yard	The premise comprises office space, one pit latrine,4 No WCs,urinal, a guard house and Yard of appx 1 acrea. The office space is a refurbished container of about <b>100 square feet,</b> The scrubs and vegetation should well-kept and neat  Emptying of septic tanks and /pit latrine at least once quarterly or when filled up whichever comes first
	Minimum no of wor	kers required is 1(	(no)	
	Garbertula office	Garbertula township	Office	The premise comprises part of ground floor measuring approximately 436.5sq ft .It's accommodation details including an office, 2No. WCs, and wash hand sink 2 no.windows Floor finish is ceramic tiles to the office and wet rooms.
	Minimum no of wor	kona no animalia 14	( \)	

Maikona Pov Station	ver	Maikon in Mars County, Marsabi North H road	arbit along it-	Offices, guard Guest House, I house.	-	The buildings area is approximately 200sq meters but the entire compound is on 6 acres. The compound comprises an office block, power station, drive ways, guest house and guard house.  The scrubs and vegetation should well-kept and neat  Emptying of septic tanks and /pit latrine at least quarterly or when filled up whichever comes first
Sololo Power Station	Sololo in Mar County Marsal Moyale	town, sarbit y,off pit-	Offices	n no of workers , guard house, House, Power	The but the entition compringuest has the second meat	ed is 1(no) ildings area is approximately 200sq meters but ire compound is on 6 acres. The compound ises an office block, power station, drive ways, house and guard house. Erubs and vegetation should well-kept and Fing of septic tanks and /pit latrine at least erly or when filled up whichever comes first
		1	 Minimur	n no of workers	s require	ed is 1(no)

Illuat power station	In Marsarbit county	Offices	The premise comprises office space of 160 sq. ft. and 1 No. pit toilet. The office floor finish is pvc tiles  The scrubs and vegetation should well-kept and neat  Emptying of septic tanks and /pit latrine at least
			quarterly or when filled up whichever comes first
		Minimum no of w	rorkers required is 1(no)
Ambalo power station	In Marsarbit county	Offices	The premise comprises office space of 160 sq. ft. and 1 No. pit toilet. The office floor finish is pvc tiles  The scrubs and vegetation should well-kept and neat
			Emptying of septic tanks and /pit latrine at least quarterly or when filled up whichever comes first
		Minimum no of w	orkers required is 1(no)
Balesa power station	In Marsarbit county	Offices	The premise comprises office space of 160 sq. ft. and 1 No. pit toilet. The office floor finish is pvc tiles
Station	county		The scrubs and vegetation should well-kept and neat
			Emptying of septic tanks and /pit latrine at least quarterly or when filled up whichever comes first
		⊥ Minimum no of w	orkers required is 1(no)

# 3. CENTRAL OFFICE

PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS CENTRAL OFFICE REGION - Contact Person –Lydia Cheruto -					
1 Highridge staff quarters	L.R209/3463 Along 6 <sup>th</sup> Avenue Parklands	Residential	This is the area measuring approximately 2.66 acres. Development comprises;  1.Block 1 – 6 no. 2 bedrooms maisonettes flat  2.Block 2 – 8 no. 3 bedrooms maisonettes flat		

		3.Block 3 – 4 no. 3 bedrooms maisonettes flat
		4. Block $4 - 1$ no. 3 bedrooms bungalow.
		5. Block 5 - 2no. 2 bedrooms Bungalows
		The parking area is grass and carbo paved
Minimum no of	workers required - 1 (no)	

## 4. SOUTH NYANZA

P	REMISES DESCRI			ING SPECIFICATIONS –SOUTH NYANZA
		REGIONS. C	Contact Person – Joe	l Too -0716 722950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
1.	KISII DEPOT/STORES	Off Kisii Town near slaughter house,Daraja Mbili area	Stores & Offices	This refers to storage areas and open plan offices, separate toilets consisting of 4No. WC (ladies and gents) and urinal. The office measuring <b>3067 sq. ft approx.</b> The floors are ceramic tiles.  The compound measures about <b>an acre</b>
	The minimum no	of workers for this p	remise is 3	
2.	SORI OFFICE	Within Sori Town	offices	The accommodation consists of) open plan office, 1 pit toilet for and parking space shared among all tenab It measures 700 sq. ft approx.
	The minimum no	of workers for this p	remise is 1	
3.	KISH OFFICE	Located Kisii town town Lengetia House opposite Tuskys Echiro	Offices	<ul> <li>Main offices consisting of ground ad third floor:</li> <li>The ground floor including the Banking Hall, The Cashiers Cubicles and the various Offices.</li> <li>Ground floor is finished with granite ties.</li> <li>The third floor of this building is similar to that one of ground floor.</li> <li>The toilets in ground floor and the common areas is to be cleaned by the land lord while third floor toilets will be cleaned by us.</li> </ul>

P	REMISES DESCR			ING SPECIFICATIONS –SOUTH NYANZA
		REGIONS. C	Contact Person – Joe	1 100 -0/16 /22950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				■ The whole building measures 6923sq ft approximately
	The minimum no	of workers for this p	remise is 8	
4.	HOMA BAY OFFICE	Town centre	Offices	The main office consists of an open plan office, kitchen, store, wash hand basins, urinal and 3(no) WC for ladies and gents. The floor of the office is finished in PVC tiles.
				The office measures <b>1400 square feet</b> .
	The minimum no	of workers for this p	oremise is 2	
5	HOMA BAY RESIDENTIAL QUARTERS	Hospital Rd and next to KWS RESIDENTIAL QUARTERS	Staff quarters and compound	The compound is occupied by seven houses. The compound measures <b>about one and a quarter acre</b>
	The minimum no	 of workers for this p	remise is 1	
6.	MIGORI OFFICE	Migori Town ship Along Kisii- Migori highway	Offices	This is an office set within the town. Accommodation consists of two offices, a store and toilets. (3WCs and 2 in 1 Pit latrine) Finished in cement screed. It measures 925-sq. ft. approx
	The minimum no	 of workers for this p	oremise is 3	
7.	NYAMIRA OFFICES	Along Main Nyamira Street	Offices	This is an office set within the town. Accommodation consists of first and second floor offices and two stores all in cement screed. It measures 5020-sq. ft. approx  Work entails thorough cleaning of the offices at all times, garbage collection and proper disposal of garbage and cleaning of toilets. All the toilets should be supplied with sufficient prime white toilet papers, soap air fresheners and moth balls at all times.
				Ensuring all waste, both paper and organic garbage is collected and disposed off at least three times in a

F	PREMISES DESCR		MARY OF CLEAN Contact Person – Joe	ING SPECIFICATIONS –SOUTH NYANZA l Too -0716 722950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				week. Disposal of garbage should be done in accordance to the Local Authority by laws.
	The minimum no	of workers for this pr	remise is 2	
8.	KEHANCHA OFFICE	Within KehanchaTown	offices	The accommodation consists of) open plan office, 2 toilets for ladies and gents and parking space for 2 no. lorries and 3 no. motorcycles. It measures <b>700 sq. ft approx</b> .
The m	inimum no of work	ers for this premise	is 1	
9	MFANGANO POWER STATION	Mfangano Island	Power station	The accommodation consists of an open plan office a store and 3(NO) WC, wash hand basin and urinal. It measures <b>500 sq. ft approx</b> .
	STATION			Work entails thorough cleaning of the offices in the presence of a Company Staff at least twice a day. These spaces must be swept clean and mopped regularly. Cobwebs and stains to be removed, garbage collection and proper disposal of garbage and cleaning of toilets. All the toilets should be supplied with sufficient prime white toilet papers, soap air fresheners and moth balls at all times.
				Ensuring all waste, both paper and organic garbage is collected and disposed off at <b>least three times in a week</b> . Disposal of garbage should be done in accordance to the Local Authority by laws.
	The minimum no	of workers for this	premise is 2	I.
10	MBITA OFFICE	Mbita town neat bus station	Offices	This refers to an open plan office, 2 toilets for ladies and gents and parking space for 2 no. lorries and 3 no. motorcycles. The office measures 1000 square feet. The floor finish is floor tiles
	The minimum no	of workers for this	premise is 1	<u>I</u>
11	KENDU BAY OFFICE	Within Kendu- Bay Town	offices	The accommodation consists of) open plan office, 2 toilets for ladies and gents and parking space for 2 no. lorries and 3 no. motorcycles. It measures <b>1000 sq. ft approx</b> .

P	PREMISES DESC		MARY OF CLEAN Contact Person – Joe	ING SPECIFICATIONS –SOUTH NYANZA l Too -0716 722950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				Work entails thorough cleaning of the offices and the compound at all times, garbage collection and proper disposal of garbage and cleaning of toilets. All the toilets should be supplied with sufficient prime white toilet papers, soap air fresheners and moth balls at all times.
				Ensuring all waste, both paper and organic garbage is collected and disposed off at <b>least three times in a week</b> . Disposal of garbage should be done in accordance to the Local Authority bye laws.
	The minimum n	o of workers for this	premise is 1	
12	OYUGIS	Oyugis town	office	This is an office area measuring approximately <b>1,300</b> square feet with toilet having (2) WC's and outside parking for at least 3 vehicles. The premises are fully complete with all finishes done including floor tiles to all the areas. Work entails thorough cleaning of offices, dusting, garbage collection and disposal on weekly basis. Cleaning of all communal/common areas, Cleaning of door mats, drainage clearance, and cleaning of office seats.
	The minimum n	o of workers for this	premise is 1	
13.	KENYENYA	Kenyanya Town inside the CDF OFFICES	Offices	This is an office space covering about <b>500square feet</b> cemented floor. <i>With</i> Separate common washroom Work entails thorough cleaning of offices, dusting, garbage collection and disposal on weekly basis. Cleaning of all communal/common areas, Cleaning of door mats, drainage clearance, and cleaning of office seats.
	The minimum n	o of workers for this	premise is 1	
14.	NYASIONGO	Along Main road to kericho	Offices	This is an office space covering about <b>500square feet</b> cemented floor. <i>With</i> pit latrine and small kitchenette. Work entails thorough cleaning of offices, dusting, garbage collection and disposal on

I	PREMISES DESCR	IPTION AND SUM	MARY OF CLEAN	ING SPECIFICATIONS –SOUTH NYANZA
		REGIONS. C	Contact Person – Joe	l Too -0716 722950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				weekly basis. Cleaning of all communal/common areas, Cleaning of door mats, drainage clearance, and cleaning of office seats.
	The minimum no	 of workers for this pro	emise is 1	
15.	MIGORI YARD	Along migori – boarder road	Store yard	This refers to an approximately <b>1 acre</b> with I toilet.
				There is also a yard which has a gate house. The yard also requires bush clearing as required.
				Garbage collection and disposal on weekly basis.
The m	ninimum no of work	ers for this premise i	s 1	
16	NYANGENA	ALONG MIGORI ROAD AFTER KISII JUNCTION	SUBSTATION	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
	The minimum no	of workers for this p	remise is 1	
17	NYAMIRA S/S	ALONG NYAMIRA – KERICHO ROAD	SUBSTATION	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
	The minimum no	of workers for this p	remise is 1	1
18.	MIGORI S/S	Along kehanacha road	SUBSTATION	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis

I	PREMISES DESCR		MARY OF CLEAN Contact Person – Joe	ING SPECIFICATIONS –SOUTH NYANZA l Too -0716 722950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
	The minimum no	of workers for this pro	emise is 1	
19.	HOMABAY S/S	Just before Homabay town	substation	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
The n	ninimum no of work	ters for this premise i	s 1	
20	KEGATTI	8KM from kisii keroka road	Power station	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis.
	The minimum no	of workers for this p	remise is 3	,
21	OYUGIS S/S	ALONG OYUGIS ROAD JUST BEFORE RODI JUNCTION	SUBSTATION	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
	The minimum no	of workers for this p	remise is 1	
22	AWENDO OFFICE	ALONG MIGORI ROAD AT THE CDF OFFICES	OFFICE	This is an office space covering about <b>500square feet</b> cemented floor. <i>With</i> Separate common washroom Work entails thorough cleaning of offices, dusting, garbage collection and disposal on weekly basis. Cleaning of all communal/common areas, cleaning of door mats, drainage clearance, and cleaning of office seats.
	The minimum no	of workers for this p	remise is 1	<u>I</u>
23.	KISII East s/s	Along Nyamira road Jogoo	SUBSTATION	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis

F	PREMISES DESCRI		MARY OF CLEAN Contact Person – Joe	ING SPECIFICATIONS –SOUTH NYANZA I Too -0716 722950
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
	The minimum no o	of workers for this pro	emise is 1	

## 5. NORTH RIFT

# PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS - NORTH RIFT -

**CONTACT PERSON -** *Elkanah Kiplagat 0721172712* 

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
1.	OLOO STREET OFFICES	OLOO STREET	Banking Hall and Emergency Office	<ul> <li>The ground floor measuring 2211 sq ft refers to the banking hall i.e. 4 cashier's cubicles, inquiry counters, supervisors' offices, kitchen, 2 toilets and 3 No. Wash hand basins. The floor is finished in polished terrazzo. The wall has white ceramic wall tiles. 1gents and 1 ladies' toilet</li> <li>The office floor is finished with ceramic floor tiles. Behind, there is an open yard measuring ¹/ of an acre approx. There are 3 No. Toilets, 2 wash hand basins and 1 kitchen</li> <li>Washrooms furnished with ceramic tiles.</li> </ul>
minimur	 n no of workers fo	or this premise is	2(no)	
2.	MUYODI RESIDENTIA L QUARTERS	Along Uganda Highway	Office/Residential quarters	<ul> <li>The estate comprises of 16 No. two bedroom flats and 16 No. Bed-seaters with two communal ablutions block each with 3 toilets and 3 bathrooms with some washing area. Toilets are furnished with ceramic.</li> <li>The estate is served with a parking area that is paved. The rest of the area of approx. 1-acre is covered in grass. The fence is of chain-link</li> </ul>
The min	imum no of worke	ers for this premis	se is 1 (no)	
3.	KPLC ELDORET STORES	Along Arap Kitongo Road	offices	<ul> <li>This is the main store that comprises 2 big storage areas and 2 offices of varying sizes and a small meeting room. There are 2 toilets and a small kitchen. The Ground floor has terrazzo finishing while the upstairs has tile floor finishing. the total area measures 9150 sq ft.</li> <li>Toilets are furnished with ceramic.</li> </ul>

**CONTACT PERSON -** *Elkanah Kiplagat 0721172712* 

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
The mini	mum no of worke	rs for this promis	so is 1	
THE IIIII	mum no or worke	ers for this preims		
4.	NANDI ROAD RESIDENCE	Next to Mediheal Hospital	Residential House	<ul> <li>This refer to a private residential for senior staff. It's an area measuring approximately two acres with a pit Latrine.</li> <li>The works involves maintaining the lawn using a lawn mower once in a week to provide uniform grass level</li> </ul>
The mini	mum no of worke	ers for this premis	se is 1	
5.	KITALE OFFICE	Ambwere Plaza	Offices	The area measures 5000 sq ft and refers to office area and banking hall with ceramic tile floor finish. The ablutions are 4 in number with a urinal and 2 No. WHB. There is 1 store. Toilets are furnished with ceramic
The mini	mum no of worke	ers for this premis	se is 3	
6.	KITALE DEPOT	Peponi Road next to Cereals Office	Offices and Residential quarters	<ul> <li>The depot building houses Emergency Office and Store with some room for darts. The area measures 1157 sq ft.</li> <li>The yard is partly covered in grass while the driveway is levelled in ballast (eroded). The entire compound is surrounded with a live fence. The location has 2 toilets and 2 communal pit latrines. 2 Washrooms Furnished with PVC tiles.</li> <li>Residential quarters consist of 9 (no) bed sitters and 2 communal toilets and 2(no) communal toilets</li> <li>Washrooms Furnished with PVC tiles.</li> </ul>
The	minimum no of v	vorkers for this p	remise is 2(no)	
7.	KAPSABET OFFICE	KCB building	office	Comprises of an open office space, kitchenette and two toilets at the 2 <sup>nd</sup> floor. The floor is finished with ceramic tiles. Measuring approximately 2090 sq ft
The	e minimum no of	workers for this p	premise is 2(no)	
8.	KAPENGURI A	Mwalimu Sacco Buliding	Office	This is a rented premise comprising of an office space and store measuring approximately 2880 sq ft and 2 toilets (male & female).

#### PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS - NORTH RIFT -CONTACT PERSON - Elkanah Kiplagat 0721172712 NO **PREMISE** LOCATION DESCRIPTION SCOPE OF WORK OFFICE/STO The floor is finished with ceramic tiles RES The stores is located within the substation approximately one kilometre from the offices The minimum no of workers for this premise is 2 (no) LESSOS Offices and There are offices within the Sub-Station 9. Lessos Building and a Control room, 1 toilet, 1 **CONTROL** township Residential quarters bathroom and urinal. Measuring 1800sq ft. **DEPOT** The floor type is Screed The staff-housing compound is comprised of 8 NO. two bed-roomed houses, 2 NO. three bed-roomed houses, and other smaller units. The whole area is covered in grass with paved walk- ways. The Compound also has 3 pit latrines, about ½ the perimeter is of live fence and the rest is in barbed wire. -. There is an additional office at the substation comprising of 3 units upstairs and a kitchen with a meeting room downstairs. It measures 8540 sq ft. NB: Emptying of septic tanks to be done every three months Ground and live fence maintenance must be done appropriately The minimum no of workers for this premise is 3 (no) The area measures 2000 sq ft and refers to office area 10. **ITEN** Mosop plaza with ceramic tile floor finish. The office has two Offices toilets finished with ceramic tiles. The minimum no of workers for this premise is 2 (no)

**CONTACT PERSON -** *Elkanah Kiplagat 0721172712* 

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
11.	RIVATEX	Rivatex sub- station/ stores/ Yard	Offices	This is an area measuring approximately Ten acres. The offices comprise of two blocks one serving as store office and a control room. The store office is has two toilets and a bathroom finished with Ceramic tiles and the control room office is finished with terrazzo. The office area measures 4645 sq ft. The control room area has two toilets.  NB: The scrap yard next to the substation requires constant maintenance with a lawn mower in order to provide uniform grass level. The scrap yard also requires periodic maintenance to remove overgrown grass.
The mini	 imum no of worke	ers for this premis	se is 2 (no)	
12.	LODWAR OFFICE AND POWER STATION	Off Kanamkemer Lodwar road	Offices and Power House	<ul> <li>This refers to an open office block with two toilets measuring approximately 4000sq ft.</li> <li>The floor is finished with ceramic tiles.</li> <li>The generation block comprises two offices furnished with PVC tiles. Toilets are furnished with ceramic tiles</li> </ul>
Т	The minimum no o	of workers for this	s premise is 1 (no)	
13.		Lokitaung Town	Power station, quest house and Offices	Main Office Block that includes: Ladies and gents washrooms that are 40ft by 34ft each. Workshop block 46.5ft by 18ft  Security Office 11.5ft by 11.5ft Pump house 11.5ft by 22ft Control room 8ft by20ft  Guest house that includes: Sitting room 14ft by 11ft Kitchen 7ft by 8ft

<b>10</b>	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				2 bedrooms of 10.5ft by 10.5ft each 1 bedroom 14ft by 10ft
Γhe mini	mum no of worl	kers for this prem	ise is 1	
14.	LOKORI POWER STATTION	Lokori Town	Offices, Workshop, Guest House and entire compound	This office comprises of an office block 17m * 9m, workshop and a store each 7m * 18m, Pump House 8m * 4m, Guest House 13m * 18m and Compound length approximately 200m * 200m. The office is furnished in polished terrazzo floor and Guest House are of PVC tiles, a Kitchen and a washroom. There are two toilets – 1 for ladies and 1 for gents, 1 urinal and 4 No. Wash hand basins.  Toilets are furnished with ceramic
The mini	mum no of worl	kers for this premi	ise is 1	
15.	LOKICHAR	Lokichar Town	Power station, quest house and Offices	Main Office Block that includes: Ladies and gents washrooms that are 40ft by 34ft each. Workshop block 46.5ft by 18ft  Security Office 11.5ft by 11.5ft Pump house 11.5ft by 22ft Control room 8ft by20ft  Guest house that includes: Sitting room 14ft by 11ft Kitchen 7ft by 8ft Bathroom 3.5ft by 3.5ft Toilet 3.5ft by 3.5ft 2 bedrooms of 10.5ft by 10.5ft each 1 bedroom 14ft by 10ft

**CONTACT PERSON -** Elkanah Kiplagat 0721172712

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
			Power station, quest	Ladies and gents washrooms that are 40ft by 34ft
			house and Offices	each.
				Workshop block 46.5ft by 18ft
				Security Office 11.5ft by 11.5ft
				Pump house 11.5ft by 22ft
				Control room 8ft by20ft
				Guest house that includes:
				Sitting room 14ft by 11ft
				Kitchen 7ft by 8ft
				Bathroom 3.5ft by 3.5ft
				Toilet 3.5ft by 3.5ft
				2 bedrooms of 10.5ft by 10.5ft each
				1 bedroom 14ft by 10ft

# The minimum no of workers for this premise is $\boldsymbol{1}$

17.	LOKIRIAMA		Main Office Block that includes:
		Power station, quest	Ladies and gents washrooms that are 40ft by 34ft
		house and Offices	each.
			Workshop block 46.5ft by 18ft
			Security Office 11.5ft by 11.5ft
			Pump house 11.5ft by 22ft
			Control room 8ft by20ft
			<b>Guest house that includes:</b>
			Sitting room 14ft by 11ft
			Kitchen 7ft by 8ft
			Bathroom 3.5ft by 3.5ft
			Toilet 3.5ft by 3.5ft
			2 bedrooms of 10.5ft by 10.5ft each
			1 bedroom 14ft by 10ft

The minimum no of workers for this premise is  $\boldsymbol{1}$ 

### PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS - NORTH RIFT -

**CONTACT PERSON -** Elkanah Kiplagat 0721172712

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
18.	KAKUMA	Kakuma		Main Office Block that includes:
		Town	Power station, quest	Ladies and gents washrooms that are 40ft by 34ft
			house and Offices	each.
				Workshop block 46.5ft by 18ft
				Security Office 11.5ft by 11.5ft
				Pump house 11.5ft by 22ft
				Control room 8ft by20ft
				Guest house that includes:
				Sitting room 14ft by 11ft
				Kitchen 7ft by 8ft
				Bathroom 3.5ft by 3.5ft
				Toilet 3.5ft by 3.5ft
				2 bedrooms of 10.5ft by 10.5ft each
				1 bedroom 14ft by 10ft
				Empting of Septic tank 3 times a year

## The minimum no of workers for this premise is $\boldsymbol{1}$

19.	LOKICHOGI	Along Lodwar		Main Office Block that includes:
	0	Lokichogio Rd	Power station, quest	Ladies and gents washrooms that are 40ft by 34ft
			house and Offices	each.
				Workshop block 46.5ft by 18ft
				Security Office 11.5ft by 11.5ft
				Pump house 11.5ft by 22ft
				Control room 8ft by20ft
				<b>Guest house that includes:</b>
				Sitting room 14ft by 11ft
				Kitchen 7ft by 8ft
				Bathroom 3.5ft by 3.5ft
				Toilet 3.5ft by 3.5ft
				2 bedrooms of 10.5ft by 10.5ft each
				1 bedroom 14ft by 10ft

### PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS - NORTH RIFT -

**CONTACT PERSON -** Elkanah Kiplagat 0721172712

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK		
The minimum no of workers for this premise is 1						

Lumakanda	Lumakanda Town	Office	This refers to an office space measuring approximately 1000sq feet with two toilets are
			The floor is finished with terazzo

The minimum no of workers for this premise is 1

### 6. NORTH EASTERN

PRE	PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NORTH EASTERN REGION - Contact Person – Victoria Mutunga 0720-808331					
		REGION - C	Contact Person –Vict	toria Mutunga 0720-808331		
1	Thika Depot & Substation	General Kago Rd next to Thika Level 5 Hospital	Office & Substation	O& M office comprises 1No block with 4no rooms, 1 no Kitchen, 2no WC's, 1 no urinal and 1no WHB. Ablution block with 4no cubicles, Stores & TPT offices-1 No. Block.  ✓ D&C & E/Plant offices. Floor finish is screed.  ✓ There is a store yard, parking area with cabro paving.  Manned Substation  Area is appx 120 sq meters for substation and 16sq meters for office space.  Floor type is screed for the control panel room and ceramic tiles for the office space.  The area is appx 5 acres.		
Minimum	no of workers	required is 6 (no)				
2	Kitui Office	Kilungya street Kitui town	Offices and Yard	O & M Office  This refers to office space of approximately 3810 square feet the Floor finish is screed. One kitchen, 4WC's and 2no ball urinals.  Yard  A guard house, one pit latrine, one metal cage of appx 300 square feet and a container, refurbished as an office, of 100 Square feet. The yard has scrap poles and is approx. ½ acre		

		11237011	Contact Person – vi	ctoria Mutunga 0720-808331
		N. G.CI		
		No. of Cleaner	s 2no. (1no. for th	ne office and 1no. for the yard)
3	Mwingi Office	Mwingi – Thika –Garissa Highway Mwingi Town	Offices	This refers to One storey building which consists of a Ground floor with 4 rooms, 1 <sup>st</sup> floor has 4 rooms, Parking area, Yard on the outside with stone wall perimeter fence, two latrines, bathroom and a urinal.  Building size is 24ft x 34ft with 4ft canopy on 1 <sup>st</sup> floor.  The Floor finish is Ceramic tiles. The plot measures 100ft x 100ft  A store of 800 square feet and one container of 100 square
				feet.
			Minimum No. of	Cleaners 1no.
4	GATUNDU	Next to Ministry	Offices	This refers to office approximately 128 S/M.
4	OFFICE	of Public Works	Offices	This refers to office approximatery 128 3/101.
				The floor finish is screed and 4no. WCs
	Minimum no	of workers requi	red is 1(no)	
5	White Mang'u Road Offices/St			This refers to office/Store yard approximately 2000sq ft.
	sisters/ off Thika Road. Ngoigwa	off Thika Road.	yard	The floor finish is tiles and 2no. WCs and 1no WHB and a septic tank
				Emptying of septic tanks quarterly.
Minimum	no of workers	required is 1(no)		
6	Limuru	Limuru Town	Offices,	Limuru Depot
	Town Offices and Depot	Ushirika Building for the offices.  Depot next Bata Shoe Company.	Residential quarters and Substation	<ul> <li>✓ This refers to office/Store yard approximately 2000sq ft.</li> <li>✓ A big portion of the floor is tiles and the other is screed.</li> <li>✓ An ablution block of 6No. WCs, 2no. bathrooms, 4no. pit latrines at the depot Cubicles</li> <li>✓ The residential quarters have 26 units</li> <li>Ushirika Town office</li> </ul>
				<ul><li>✓ Two offices of appx 1398 square feet.</li><li>✓ Floor finish is ceramic tiles.</li></ul>

P	PREMISES DESCRI			EANING SPECIFICATIONS – NORTH EASTERN toria Mutunga 0720-808331
7	Kiambu Office	Kiambu town	Office	This refers to an office area on the 1 <sup>st</sup> floor measuring approximately 2520 <b>square feet</b> and comprise <b>4No. WC</b> , a urinal, <b>2 WHB</b> . The floor finish is ceramic tiles.
Minir	num no of workers r	equired is 2No.		
8	Ruiru office & Substation	Ruiru Town along the Thika / Nairobi highway (Both sides of the Road)	Offices and Staff Residential Quarters (Transmission & O&M)	O & M side  Area is approximately 6 acres comprising of: -  ✓ Go-down/store  ✓ Cable cutting shed  ✓ Ablution block of 8no cubicles and one urinal  ✓ Staff quarters – floor finish is screed  ✓ Staff quarters of 19 units  ✓ 3no Septic tanks  Transmission side  The area approximately 4 acres comprising of: - One office block of appx 6000 square feet  Floor finish is ceramic tiles  4no WCs, one urinal and 3no.WHB  2no Septic tanks  Staff quarters 24no units  Manned Substation  Area is 3.75 acre for the substation and 160 Sq feet for office space and control room. Open area is 500 sq feet that will need weeding.  Floor type is terrazzo with 2no WCs.  Emptying of septic tanks at least quarterly.
	Minimum no of wo	rkers required i	is 15(no)	
9	Githunguri office	Kiambu Road	Office	This refers to an office area on the ground floor measuring approximately <b>2100 square feet.</b> Comprise main office, 2No. WC, 2 WHB, a kitchen, and a parking yard of 20 no parking spaces with flowers around the parking lot. The floor finish is Ceramic tiles and cement screed in the common areas, cabro pavin in the parking lot.
Minir	num no of workers r	equired is 1(no)		

I	PREMISES DESCR			EANING SPECIFICATIONS – NORTH EASTERN etoria Mutunga 0720-808331
10	Dadaab Guest House, Power house.			The area is <b>Appx 400 sq ft</b> . This refers to an office, a gate house, 2no. WCs, 2 bathrooms workshop and a generation room. A parking shed.
				Guest house 3bedrooms, 1no bathroom and 1no WC, sitting room, kitchen. The Floor type is pvc
				Emptying of septic tanks at least quarterly.
Minii	mum no of workers	required is 1(no)		
11	Garissa office			Garissa Office
	and Modka Store Yard			This refers to an office block approximately <b>2287 sq ft</b> with 2no. WCS. Floor finish is screed.
				Modka Store Yard
				Total area is 10000sm; with an office block 3200 sqft with terrazzo floor finish and the rest is the yard. Ablution block with 4wcs, urinal and 2 bathrooms and a guard hse.
	mum no of workers  GRID STATIONS	required is 2(no)	– 1 in town office :	and 1 for the Store yard
12	Wajir Office & Residential quarters	Wajir Town	Office, Staff Residential Quarters, Guest House, Power house.	The area is 20,702sq meters. This refers to an office block, old and new power stations, new control room, caterpillar engine room, drive ways, guest house and residential quarters and a yard. Floor type is screed, 6No. Washrooms, and 2no. bathrooms. Staff houses are 13 units 2no septic tanks
				Emptying of septic tanks at least quarterly.
Mini	num no of workers	required is 6(no)	l	1
13	Eldas	Wajir Çounty	Office	The area is <b>400 sq ft</b> . This refers to an office, a gate house, 2no. WCs, workshop and a pump house, and solar panels which need to be dusted on a daily basis
				Guest house, 3bedrooms, sitting room, kitchen, Floor type is screed, 1no. washrooms, and 1no. bathrooms.

				Emptying of septic tanks at least quarterly
Minim	um no. of workers	s 1no.		
14	Mandera Office, Generation plant, Residential quarters & Solar Plant	Mandera Town	Office, Power House & Staff Residential Quarters	The area is 2 acres and refers to an office block, powerhouse, pit latrine and residential quarters.  Floor type is screed, 3No. washrooms, 1no. pit latrine and 1no.bathrooms.  The solar plant has 56 solar panel covering an acre which need to be dusted on a daily basis  Staff houses are 8 unit
				Emptying of septic tanks at least quarterly.
			Minimum no of	workers 6
15	Elwak Power Station and Town office	Off Mandera Road, Elwak Town	Sub Station, and Town office	Generation - The area is <b>400 sq ft</b> . This refers to an office, a gate house, 2no WCs, workshop and a pump house. It has a yard.
				Town office measures approximately <b>80 sq metres</b> and floor finish is screed. 2no pit latrines, in the office and 2no. WCs in the generation plant.
				Emptying of septic tanks at least quarterly
Minim	um no of workers	2 – one for office	and the other for th	e generation plant.
16	Habaswen Power Station and Town office	Off Mandera Road, Habaswen Town	Sub Station, Rest House, Pump house and Town office	The area is <b>400 sq ft</b> . This refers to an office, a gate house, 2no. WCs, workshop and a pump house.  Town office measures approximately <b>80 sq metres</b> and floor finish is cement screed.
				The town office also has a common pit latrine.
				Emptying of septic tanks at least quarterly
Minim	um no of workers	1 - one for office a	nnd the other for th	e generation plant.
17	Rhamu Generatio n plant & Rhamu town, near District headquarte rs.		Generation & Office	Generation plant- The area is <b>400 sq ft</b> . This refers to an office, a gate house, workshop and a pump house.  Guest house, 3 bedrooms, sitting room, kitchen, Floor type is screed, 1no. washrooms, and 1no. bathroom.  Office - Ground floor <b>3</b> shop measuring approximately <b>675</b> square <b>feet</b> .

]	PREMISES DES			EANING SPECIFICATIONS – NORTH EASTERN ctoria Mutunga 0720-808331
				Emptying of septic tanks at least quarterly
Mini	mum no of work	ers 1		
18	Takaba	Generation plant & Guest House in Takaba town,	Generation & Office	Generation plant - The area is <b>4000 sq ft</b> . This refers to an office, a gate house, workshop and a pump house.  A guest house - 3 bedrooms, sitting room, kitchen, and Floor type is terrazzo, 1no. washrooms, and 1no. bathroom.  Emptying of septic tanks at least quarterly
Mini	mum no of work	ers 1		
19	Korondille	Generation plant & Guest House in Korondile	Generation & Office	Generation plant - The area is <b>4000 sq ft</b> . This refers to an office, a gate house, workshop and a pump house.
		town		A guest house - 3 bedrooms, sitting room, kitchen, and Floor type is terrazzo, 1no. washrooms, and 1no. bathroom.
				Emptying of septic tanks at least quarterly
			Minimum no o	f workers 1
20	Khotulo	Generation plant & Guest House	Generation & Office	Generation plant - The area is <b>4000 sq ft</b> . This refers to an office, a gate house, workshop and a pump house.
		in Khotulo town		A guest house - 3 bedrooms, sitting room, kitchen, and Floor type is terrazzo, 1no. washrooms, and 1no. bathroom.
				Emptying of septic tanks at least quarterly
	1		Minimum no o	f workers 1
21	Banisa	Generation plant & Guest House	Generation & Office	Generation plant - The area is <b>4000 sq ft</b> . This refers to an office, a gate house, workshop and a pump house.
		in Banisa town.		A guest house - 3 bedrooms, sitting room, kitchen, and Floor type is terrazzo, 1no. washrooms, and 1no. bathroom.
				Emptying of septic tanks at least quarterly
	1		Minimum no o	f workers 1
MAN	NED SUBSTAT	TIONS		

# PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NORTH EASTERN REGION - Contact Person – Victoria Mutunga 0720-808331

Cleaners are not allowed to do cleaning in the panels in the control rooms, battery rooms and cable trenches. Access to the switch yards is restricted to only authorized staff. Cleaning in the four areas will only be done if need be and under supervision of technical service team who will then seek permits for the cleaners.

Cleaners will routinely clean the office area, open yards and washrooms in the premises.

NO	PREMISES	LOCATION	DESCRIPTION	SCOPE OF WORK
22	Nairobi North	220/66KV	Substation	Area is appx 10,000 sq feet for the control room and the gate house, 12000 feet sq switching yard is and 18000 sq feet for open area that will require weeding and grass cutting.
				Floor type is ceramic tiles 3no WCs and one pit latrine, 1no Kitchen.
				Emptying of septic tanks quarterly.
Minii	mum no of worker	rs 3		
23	Kikuyu Substation	66/11KV	Substation	Area is appx 1200 sq feet for control room, 7200 sq feet for the switch yard and 2400 sq feet for the open area that need weeding. Office space is appx 160 sq feet.  Floor type is terrazzo with 3no Wcs and 1no pit latrine.
				2no bathrooms. Parking area and foot paths is cabro paving.
Minii	mum no of worker	rs 1no		
24	Mai Mahiu	66/11KV	Substation	Area is appx 1200 sq feet for the control area, 8000 sq ft for the switch area and 16000 sq feet for the office space with one staff
				Floor type is terrazzo 2no washroom in the control room. A guard house with a 1no WC. 1no kitchen.
Minii	num no of worker	rs 1	_ I	
25	Cianda	66/11KV	Substation	Area is appx 15000 square feet for the control room and, 15000 square feet for the switching yard and 160 sq feet for office space.
				Floor type is terrazzo 1no WC and 1no pit latrine.
Mini	mum no of worker	rs 1	•	

Mwingi Office Minimum No.	Garissa Highway  Mwingi Town  B  is		3 root stone Build is Cer	This refers to One storey building which consists of a Ground floor with 3 rooms, 1st floor has 4 rooms, Parking area, Yard on the outside with stone wall perimeter fence, two latrines, bathroom and a urinal.  Building size is 24ft x 34ft with 4ft canopy on 1st floor. The Floor finish is Ceramic tiles. The plot measures 100ft x 100ft  A store of 800 square feet and one container of 100 square feet.		
Kiambu Office	Kiambu Office Kiambu town		Office		This refers to an office area on the 1 <sup>st</sup> floor measuring approximately 2520 <b>square feet</b> and comprise 1no Kitchen, <b>3No. WC</b> , a urinal, <b>2 WHB</b> . The floor finish is ceramic tiles.	
Minimum no of workers required is 2No.						
Habaswen Power Station		Mandera d, Habaswen n	House, Pump		The area is <b>400 sq ft</b> . This refers to an office, a gate house, 2no. WCs, workshop and a pump house.  Emptying of septic tanks at least quarterly	
Minimum no o	of wor	kers 1				
Rhamu		Generatio n plant in Rhamu town,	Generation & Office	Ż.	Generation plant- The area is <b>400 sq ft</b> . This refers to an office, a gate house, workshop and a pump house.  Guest house, 3 bedrooms, sitting room, kitchen, Floor type is screed, 1no. washrooms, and 1no. bathroom.  Emptying of septic tanks at least quarterly	
Minimum no o	of wor	kers 1				
Takaba Generation plant & Guest House in Takaba town		Office	&	Generation plant - The area is 4000 sq ft. This refers to an office, a gate house, workshop and a pump house.		
Minimum no	of wor	kers 1				

1	Koromoliban in	Generation	Generation &	Generation plant - The area is <b>4000 sq ft</b> . This refers
	Mandera County	plant & Guest	Office	to an office, a gate house, workshop and a pump
		House in		house.
		Koromoliban town		A guest house - 3 bedrooms, sitting room, kitchen, and Floor type is terrazzo, 1no. washrooms, and 1no. bathroom.  Emptying of septic tanks at least quarterly
Minin	num no of workers	1		

2	Kikuyu office	Ivory Towers Kikuyu Town	Generation & Office	Two rooms measuring 1120 <b>sq ft</b> . This refers to an office and 3no. parking slots		
	Minimum no of workers 1					

### 7. CENTRAL RIFT

PRE	MISES DESCRIPTIO	ON AND SUMMA	ARY OF CLEANING	S SPECIFICATIONS – CENTRAL RIFT
Cont	act Person Gladys Ach	nesa Tel .0722 801	953 & Jane Mathenge	0707321021
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
1	MOLO OFFICE	KPLC rented office.	Offices	This refers to an office measuring approx. 2700 sq. ft. Situated on a compound measuring Approx. 0.5acre. with a floor made of terrazzo. There are 8No.washrooms with 2 urinals with concrete floor and a Kitchen.
Mini	mum no of workers r	equired - 2 (no)		
2	ELDAMA RAVINE OFFICE	Baringo Teachers Sacco Building.	Offices	This refers to office space measures approximately 871 square feet, store 150 square feet with terrazzo floor, 2No.washrooms 1 ladies and 1gents made of terrazzo floor, there is also an enclosed yard for storage of poles and other bulky materials direct opposite our office.
Mini	mum no of workers r	equired -1		
3	NAROK OFFICE	ALONG NAIROBI/NA ROK RD APPROX 300M FROM TOWN	Offices	This refers to offices in 1 <sup>st</sup> floor measuring Approx. 55ft x17ft and a storage room measuring Approx. 8ft x 9.4ft, ground floor Reception area and customer services Approx. area is 532.3sqft (48.88 sq. m), store office 14.3ft x 9.4ft, Main store measures Approx. 13.4ft x 9ft – The floor is made of granite tiles and has one inner toilet with tiled floor and two outer washroom ladies and gent also with terrazzo floor. The area also has a motorcycle parking with a shed.

	Contact Person Gladys Achesa Tel .0722 801953 & Jane Mathenge 0707321021					
10	PREMISE	LOCATION	DESCRIPTION	SCOPE		
Mini	num no of workers	required 2(no)	<u> </u>	<u> </u>		
4.	LANET DEPOT	Along Nairobi/ Nakuru	Offices and Staff Residential quarters.	The area covers 40 acres, but only about 25 acres are to be attended to.		
		Highway Opp. St. Georges		a) OFFICES		
		Muthaiti School		It consists of 3 offices measuring approximately 12 ft. x 10ft, within the control building measuring 12ftx80ft, open space for transformers measuring 80ft x 60ft 2 toilets, Windows – measuring 16ft x 3ft 1 urinal and a drainage – 120ft. The floor is made of granite tiles and corridor with red oxide, transmission office has concrete floor. Store offices with granite tiles and project office all in one block with total area measuring Approx.: 1667sqft, the rest of the offices consists of normal concrete floor with red oxide surface; it has 13 glass-panelled windows. Transport office with two offices approx. 704 sq. ft. also with granite tiles floor.		
				There is an open space covering approx. 7acre that is to be maintained weekly – Grass and Hedge		
				JUNIOR STAFF RESIDENCE		
				Open space covering approximately ½ acre. With		
				4 communal toilets made of concrete there is also an		
				Open space covering approximately 1½ acre.		
				ABLUTION BLOCK		
				It Measures Approximately 12.9 x 8.2m, Washroom floor made of tile, Gents with 3-Urinals and outer three toilets and outer space, Ladies with 3-Toilets, and outer space		

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
Mini	imum no of workers re	equired - 10 (no)	)	
5	NAKURU DEPOT/SUBSTAT ION	INDUSTRIAL AREA TIMBER RD. OPPOSITE OIL MILLS	Offices and Depot	The area covers approximately 1 ¾ acres.  This refers to 3 offices measuring 14 ft. x 12 ft., two (2) offices measuring 12ft x 10ft, E-Plant workshop measuring 48 ft. x 30 ft., a restricted area. It has washroom with two toilets –Ladies and a Gent with 3- Urinals all with tile floor. Also, large Parking area –Covered with cabro,  In the substation the Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
Mini	mum no of workers re	equired - 3 (no)		
6	NAIVASHA OFFICE	MbariaKaniu road	Offices	This refers to an area along Mbaria Kaniu Rd measures app.13.7M X 10.1 banking and cashier's area with tiled floor, 10 windows, Ground washrooms with 3-Toilets and 3 urinals.  -Emergency office and store area measures Approx. 9.7 x10.1m, is tiled,  -1 <sup>St</sup> floor Main Office measures Approx. 16.9m x 12.7m, and two other office transmissions and for meter readers the floor is tiled, 1 <sup>st</sup> floor washroom Gents and ladies –Gent has two urinal the floor is tiled.

### PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – CENTRAL RIFT

Contact Person Gladys Achesa Tel .0722 801953 & Jane Mathenge 0707321021

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
7	SHOWGROUND K.P.L.C STAND	Within Showground	Offices	It consists of tarmacked parking at the back and front of the building  Concrete slabs all-round the sides.  The area refers to:  Large exhibition area with flower beds in the middle surrounding the water sprinkler.  The executive wing refers to Washroom toilets ladies and Gents all tiled, Offices, Dining room, Kitchen, Verandah and Stairs  The staff wing refers to Washroom with toilets ladies and gents with tiled floor, Offices, Dining room, Kitchen, Verandah and Stairs
8	GILGIL	Within Gilgil Town	Minimum No. of v  Office on ground floor	New Front Office Made of screed floor measuring Approx. 21ft x 16.8ft, corridor of Approx. 11ft x 405ft, back office Approx. 11 x 11.1ft,and 1st floor consists of one open office measuring 20ft x16.8ft The Office has a washroom with 2-toilets, 1-Urinal, and 2-Windows of Approx. 11ft x 10.5ft all tiled.
			 Minimum No of work	ters-2 (NO)
9	Ol KALOU	Nyandarua County	Office	The Office comprises of 3 big rooms and one small one with an area measuring Approx.: 1750sqft, on the ground floor, along Gilgil /Nyahururu Road. The offices floor is screed, there are 2no Washrooms – Ladies and Gents with two Toilets and 1 Urinal inside at the backyard all with tiled floor. The area has a front Parking which can accommodate at least 3 Vehicle's and a backyard
	Minimum no of wo	rkers required -	1 (NO)	

O	PREMISE	LOCATION	DESCRIPTION	SCOPE		
10	ENGINEER OFFICE	Nyandarua county		This refers to 2No. offices measuring Approx. 400 sq. ft., and tiled floor and two (2) Toilets (Ladies angent)		
				. Also has a Parking area.		
	Minimum no of v	workers required -	1 (no)			
11	KABARNET	Located 1st	Offices	The Offices are leasted at 18 floor VCD Duilding age		
11	OFFICE	floor KCB building	Offices	The Offices are located at 1 <sup>st</sup> floor KCB Building an comprises Open Office,1No closed Office and a stor The floor is made of tiles. There are 6 six toilets -3 for ladies and 3 gents, 1 urinal 4 no wash hand basin measuring 4606 Sq. ft. the washroom floor is tiled.		
				The office also has a motorcycle parking downstairs		
	Minimum no of workers required - 2 (no)					
12	MARIGAT	Marigat	Offices	The area measures 707 sq. ft.		
		township		The floor finish is finished in polished terrazzo		
				And has two inner washrooms ladies and gent all tiled.		
	Minimum no of	workers required -	1 (no)			
		Kenyatta street	Office	Refer to 9 (no). of offices and (2no) WC ladies and gent on 1 <sup>st</sup> floor, a banking hall with 2 no WC for		

## PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – CENTRAL RIFT

Contact Person Gladys Achesa Tel .0722 801953 & Jane Mathenge 0707321021

NO	PREMISE	LOCATION	DESCRIPTION	SCOPE			
4	KERICHO DEPOT AND STAFF QUARTERS	Off Kisii road	Office and staff quarters	Refers to 5 no Open Offices and the staff quarters			
				The power station offices consist of 3 open plan offices, two stores and a water closets			
				The floor is cement screed.			
				The staff quarter is separate from the power station building			
				The compound measures about 3 Acres.			
				The washroom has Gents and ladies and has tiled floor.			
	Minimum no of wor	kers required -	2 (no)				
	DOLLET OFFICE	T p	0.66. 1.0.1.				
15	BOMET OFFICE AND YARD	Bomet town	Office and Parking	The accommodation consists of open plan office and a store on the ground floor, and the yard is an open space with 2no. wash rooms Gents and Ladies Offices at 1st floor measuring approx.:700 sq. ft. wit Washrooms – Ino. Gents and urinal with 2no. Ladie The floor is made of tiles			
	Minimum no of workers required - 2 (no)						
16	SOTIK OFFICE	Business street Sotic town	Office	The office consists of open plan office 2 (no) small store and a Kitchen on the ground floor and 4 small offices on the 1 <sup>st</sup> floor, 3 (no) WC for ladies and			
				gents. The office measures approx.: 1870 sq. ft.			
				gents. The office measures approx.: <b>1870 sq. ft</b> .  It has external washrooms Gent with 2 toilets and ladies with 1. toilet all with tile floor			
	Minimum no of wor	kers required -	2 (no)	It has external washrooms Gent with 2 toilets and			
7	Minimum no of wor	kers required -	2 (no)	It has external washrooms Gent with 2 toilets and			

PRE	MISES DESCRIPT	ION AND SUMMA	ARY OF CLEANING	SPECIFICATIONS – CENTRAL RIFT
Con	tact Person Gladys A	chesa Tel .0722 801	953 & Jane Mathenge	0707321021
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
		Municipal Council Offices		measuring approximately 25ft x 30ft. The building has 7 (seven) toilets and 1 (one) urinal. Floor – made of Tiles  Drainage – measuring 100ft Staircase – measuring 60ft  Building area – measuring approximately 100ft x 200ft.  Open space behind the office – measuring 50ft x 100ft, windows – 100ft x 5ft approximately in total.
		Minin	um no of workers red	quired - 2 (no)
18	NYAHURURU STAFF QUARTERS & DEPOT	Along Nyahururu/Gil gil Rd	offices	The area measures approximately 1-½ acres.  It consists of Six staff quarters, guard house, ablution block and pole yard. it also has an open drainage measuring 90ft  The ablution block floor is made of ceramic tiles and has 9- windows, 2-urinals, 5-Toilets,3-bathrooms and 3 WHB. The Floor finish is ceramic tiles
		   Minin	num no of workers red	quired - 3 (no)
19	MARALAL OFFICE	Within Maralal Town	offices	Ground floor veranda measures Approx. 54.3 x 5ft, Customer service office Approx.19.8 x11.4ft with 2-Windows, Emergency Office Approx. 19.8 x 11.3ft with 2-Windows, store Approx. 20 x 14ft with 1-Window. Entrance corridor with a measurement of Approx. 21.5 x 4. 5ft.Toilets 2(Gents) measuring 7.6ftx10ft with one window, Ladies 1 measuring 6ft x 4ft with one window, Inner veranda measuring 54.3x 5ft and a store case measuring 21.6x6.9ft.the area has screed floor.
	1	Min	nimum no of workers	required -1

PRE	MISES DESCRIPTION	ON AND SUMMA	RY OF CLEANING	SPECIFICATIONS – CENTRAL RIFT
Con	tact Person Gladys Ach	nesa Tel .0722 801	953 & Jane Mathenge	0707321021
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
20	BARAGOI OFFICE & SUBSTATION	Within BaragoiTown	office & substation	The area consists of two new office with area approx. 7ft x 18.6fts  . Workshop and store of area 47.16 x 17ft, two toilets.
				. Three commercial office area 43ft x10.5ft
				The Floor finish is PVC, 2 No. WC toilets,2 No. bathrooms and urinal and is served by a Septic tank
		Mir	imum no of workers	required -2
21	KILGORIS OFFICE	Within Kilgoris town	Office	This refers to an open plan office, washroom with 2 toilets for ladies and gents with tiled floor and a parking space for two (no), Lorries and 3 (no) Motorcycles. The office measures Approx:600 sq. ft. with ceramic tiles
	Minimum no of wor	kers required -	1 (no)	
22	KIPTERE OFFICE	Within Kiptere Town	Offices	This refers to an open plan office -2 Toilets ladies and gents The floor finish is ceramic tiles and it measures 620 sq. ft. The work entail cleaning, disinfecting Communal Areas and Garbage Collection on a weekly basis.
	Minimum no of wor	kers required -	1 (no)	•
23	BAHATI OFFICE	Bahati Town	Office	The area Consist of 661Sq.ft  The Floor finish is Ceramic Tiles, 2 No. Toilets. I no.WHB and 1No. Kitchen Sink – Work entails

			953 & Jane Mathenge	SPECIFICATIONS – CENTRAL RIFT 0707321021
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
				cleaning the office Garbage Collection once on a weekly basis and disinfecting communal area
		N	o of workers required	d - 1 (no)
24	LONDIANI	Londiani Town	Manned Substation	The area consists of 1056 sqt.
	OFFICE			The Floor finish is Ceramic Tiles, 2 No. Toilets. I no.WHB and 1No. Kitchen Sink – Work entails cleaning the office Garbage Collection once a weekly basis and disinfecting communal area a
		N	  o of workers require	d - 1 (no)
25	CHEMOSIT SUBSTATION	Along Kericho Sotik Road	Manned Substation	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
No o	f workers required	- 1 (no)		
26	LANET SUBSTATION	Along Nakuru Nairobi Highway – Lanet area	Manned Substation	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the substation, garbage collection and disposal on weekly basis
Mini	imum no of workers	required - 1 (no)	1	
27	NAIVASHA SUBSTATION	Along Naivasha Mai- Mahiu Highway	Substation	This refers to a control room, gate house and Toilet. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, ground maintenance around the

PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – CENTRAL RIFT  Contact Person Gladys Achesa Tel .0722 801953 & Jane Mathenge 0707321021				
NO	PREMISE	LOCATION	DESCRIPTION	SCOPE
				substation, garbage collection and disposal on weekly basis
Mini	mum no of workers	s required - 1(no)		

## 8. WESTERN KENYA

WESTERN REGION- PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS  Contact Person – Edgar Mayende- 0721541462; Contact Person- Collins Otieno -0720 114562					
NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK	
1.	KARUME STAFF QUARTERS	Karume Road.  Along Karume Rd	Residential quarters	These are 16 staff houses The compounds measure <b>about half an acre</b>	
Minimur	n Number of worl	kers 1			
2.	MILIMANI STAFF QUARTERS & TRANSPORT	Aga Khan Rd	Residential quarters	The compound is occupied by seven maisonettes.  Transport Office  Cleaning an 3 bedroomed house converted into an office.	

#### WESTERN REGION- PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS Contact Person - Edgar Mayende- 0721541462; Contact Person- Collins Otieno -0720 114562 NO. LOCATION DESCRIPTION SCOPE OF WORK **PREMISE** The compound measures about one and a quarter acre Minimum Number of workers 2 3 **ONDIEK** Camp Links Road Residential The residential quarters consist of the Two main **STAFF** off Kakamega flats, a Ladies and some small single units. Set quarters **QUARTERS** Road within the estate is a communal ablution facility that serves the single units. The compound measures about an acre Minimum Number of workers 1 4 KATITO Located in Katito office Accommodation includes two open plan offices, town 1 (no) WC. The office measures 500 sq. ft **approx**. The floor finish is ceramic tiles. Minimum Number of workers 1 5 **BUSIA** Along Busia Offices This refers to an open plan office, **OFFICE** Road balcony/veranda, 3 (no) stores, urinal and 4 (no) WC for ladies and gents. The office measures **3392 square feet**. The floor finish is ceramic tiles. **Minimum Number of workers 2** This refers to an open plan office on ground **BUNGOMA** Bungoma Offices 6 **Township** floor, 2 toilets- ladies and gents. The office **OFFICE** measures 2880 square feet. **Minimum Number of workers** 2 Webuye Town 7. WEBUYE Offices Floor finish is a ceramic tile. It measures 820 sq. **OFFICE** ft approximate office space, rear space 300sq.ft store, 2 No. WC and a small Kitchen space.

NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
Minim	um Number of wor	kers 1		
8	MAMBOLEO POLE YARD	Miwani Rd	Pole yard	The accommodation consists of an open plan office and one pit latrine It measures <b>3 Acres approx</b> .
		off Kisumu- Kakamega Rd		
Minim	um Number of wor	kers 3		
9	MBALE	Along the Kakamega road	Offices	Old office
	OFFICE ( OLD OFFICE & NEW OFFICE)			This refers to an open plan office on first floor, 2 toilets for ladies and gents and parking space for 2 no. lorries and 3 no. motorcycles. The office measures <b>1024 square feet</b> . The floor finish is ceramic,
				New Office
				This refers to an open plan office on first floor, 2 toilets for ladies and gents. The office measures <b>1600 square feet</b>
Minim	um Number of wor	kers 2		
10.	MALAKISI OFFICE	Malakisi Township	Offices	This refers to an open plan office, 2 toilets for ladies and gents and parking space for 2 no. lorries and 3 no. motorcycles. The office measures 500 square feet. The floor finish is screed.
Minim	um Number of wor	kers 1		
11.	MUMIAS	Located in Mumias town	Office	The accommodation consists of 2 (N0) open plan offices, a store and 2 common pit latrines. It measures <b>800 sq. ft approx</b> .

				Ollins Otieno -0720 114562
NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
Minim	um Number of wo	rkers 1		
12	LUANDA	Located in Luanda town	Office	The accommodation consists an open plan offices, a washroom and a toilet. It measures <b>580 sq. ft approx</b> .
Minim	um Number of wo	rkers 1		
13	PORT VICTORIA	Located in Port Victoria town	Office	The accommodation consists of 2 (N0) open plan offices and 2 common pit latrines. It measures <b>670 sq. ft approx</b> .
Minim	um Number of wo	rkers 1		
14	MILIMANI STAFF HOUSE	Milimani Area	Staff Quarters	Masionette on own compound within Milimani area The compound along Got Huma Rd is 0 .3233 acres . While the one along Adala Otoko Rd is 0.4279 acres.
				Work entails clearing of overgrown grasses and general maintenance of cleanliness in the common areas of the staff quarters, weeding of the flowers within the compound. Ensuring all waste, both paper and organic garbage is collected and disposed of at <b>least three times in a week</b> . Disposal of garbage should be done in accordance to the Local Authority by lawsKeep the fence/hedge neat and trimmed once quarterly so that no overgrowths
Minim	um Number of wo	rkers 1		
15.	UGUNJA OFFICE	Along the Ugunja-Busia Rd next to the Bus station	Offices	This refers to 2 (no) open plan offices, 3 (no) WC for ladies and gents. The office measures <b>1058 square feet</b> . The floor finish is ceramic tiles.
				Work entails thorough cleaning of the offices at all times, garbage collection and proper disposal of garbage and cleaning of toilets. All the toilets should be supplied with sufficient white toilet

				Ollins Otieno -0720 114562
NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				<b>papers,</b> soap air fresheners and moth balls at all times.
				Ensuring all waste, both paper and organic garbage is collected and disposed off at <b>least three times in a week</b> . Disposal of garbage should be done in accordance to the Local Authority by laws.
Minimu	m Number of work	ers 1	•	
16.	BONDO OFFICE	Town center	offices	The accommodation consists of an open plan office, two stores and 2 common pit latrines. It measures <b>500 sq. ft approx</b> .
				Work entails thorough cleaning of the offices at all times, garbage collection and proper disposal of garbage and cleaning of toilets. All the toilets should be supplied with sufficient prime <b>white toilet papers</b> , soap air fresheners and moth balls at all times.
				Ensuring all waste, both paper and organic garbage is collected and disposed off at <b>least three times in a week</b> . Disposal of garbage should be done in accordance to the Local Authority by laws.
Minimu	m Number of work	ers 1		
17	KAPSOKWONY OFFICE	Within Kapsokwony Town	Offices	The accommodation consists of) open plan office, 2 toilets for ladies and gents and parking space for 2 no. lorries and 3 no. motorcycles. It measures <b>750 sq. ft approx</b> .
				Work entails thorough cleaning of the offices and the compound at all times, garbage collection and proper disposal of garbage and cleaning of toilets. All the toilets should be supplied with sufficient prime white toilet papers, soap air fresheners and moth balls at all times.
				Ensuring all waste, both paper and organic garbage is collected and disposed off at <b>least three times in a week</b> . Disposal of garbage

#### WESTERN REGION- PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS Contact Person - Edgar Mayende- 0721541462; Contact Person- Collins Otieno -0720 114562 NO. **PREMISE** LOCATION DESCRIPTION SCOPE OF WORK should be done in accordance to the Local Authority bye laws. Minimum Number of workers 1 18 Siaya Town, Near Offices Accommodation includes one open plan offices, **SIAYA OFFICES** Siaya law courts 4 (no) WCs (Two for gents and two for ladies) and a kitchenette. The office measures 2500 sq. ft approx. Minimum Number of workers 2 19. **MUHORONI** Town centre offices The accommodation consists of 1 (N0) open plan **OFFICE** office, a store and 1no WC. It measures 1560 sq. ft approx. Minimum Number of workers 1 20. BUSIA Inside Busia Stores Trunk measures 20\*40 sq.ft. **STORES Sub-Station Minimum Number of workers** 1 MUHORONI 21. Kisumu **Sub-Station** The compound measures about 5 acres S/STATION Muhoroni Junction **Minimum Number of workers** 1 22 Within Musaga **Sub-Station** The compound measures about 6.5 acres and has MUSAGA S/ **STATION** a control room and washrooms Minimum Number of workers 1 23 Within Kisumu The accommodation consists of an open plan **MAMBO** offices opposite ASK office, 2 toilets for ladies and gents. It measures **LEO** S/STATION **Show Grounds** 800 sq. ft approx. Minimum Number of workers 1

NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
24	MALAVA	A long Kakamega Webuye Road	Office	This refers to an open plan office on ground floor, 2 toilets for ladies and gents. The office measures <b>870 square feet</b>
Minim	um Number of wo	orkers 1		<u> </u>
25.	SIAYA STORES	Siaya Town, Near Siaya law courts	offices	The compound measures about 0.2894 Ha with a godown space of <b>4868 square feet.</b> The works will involve cleaning the godown & the compound.
	um Number of wo	orkers 1		
Minim				

## 9. NAIROBI NORTH SUB-COUNTY

	SUB-COUNTY Contact Person –David M. Nderitu– tel 0721-737594; Sammy Wachira 0722 769 562						
No.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK			
1.	Sarit Centre	Westland's – Sarit Centre	Office – Pay point	This is an Office Pay point area at second floor of Sarit Centre measuring approximately <b>620</b> square <b>feet</b> of which the floor is PVC tiles and walls are painted. The partitions to the counters are mainly UPVC			
	Minimum number of workers 1						
2.	Forest Road Staff Quarters	At the Junction of	Staff Quarters	The area is about <b>1/2 acres</b> . This refers to one high-rise block of 3			

PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NAIROBI NORTH

#### PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NAIROBI NORTH **SUB-COUNTY** Contact Person -David M. Nderitu- tel 0721-737594; Sammy Wachira 0722 769 562 Forest Road floors, gatehouse and 1 single store and Limuru block of staff quarters with 22 Road houses The common areas have precast plain slabs finish and cement screed. The parking area has ballast finish. Minimum number of workers 1 3. East Leigh office East Leigh Office This is an office Pay-point at East Leigh measuring approximately 1635 **Shopping Mall** square feet. The floor is of Ceramic tiles; walls are plastered and painted internally. Minimum number of workers 1 This refers to a block of staff **Staff Quarters** 4. Pangani Staff Quarters Pangani Off Muranga quarters. The floor finish is cement Rd next to screed .Fencing is Masonry wall; Police Station the gatehouse is Masonry, no. of house 15no. Compound is made of marram. Minimum number of workers 1 Office & 5. Baba Dogo Sub Area next to The entire area is approximately 3 acres. With an Office and control station lucky summer surrounding vacant room, a washroom and common land area. Minimum number of workers 4 6. Hamza Staff Off Jogoo **Staff Quarters** This area covering about 1 acre of land of 18 (no) residential staff Road Hamza **Ouarters** quarters with 6 (no) communal Area toilets and bathrooms. The floor in the common area is cement screed. Minimum number of workers 1 Off Jogoo 7. Makadara Pay Point Office This is an office pay point area Road, KCB measuring approximately 1222 Building **square feet.** The floor is of terrazzo finish and walls are plastered and, painted internally.

Contact Person –David M. Nderitu– tel 0721-737594; Sammy Wachira 0722 769 562

Minimum no of worke	ers 1		
Huruma sub station	At Outering Rd at Kariobangi round about	Offices, control room and common area.	The area consist of 4 offices, control room, Kitchen, washroom gent and ladies, control room and common area.
Minimum no of worke	ers 1		
Muthurwa sub station	Muthurua opposite Machakos country bus.	Large open Office upstairs, control room,, washrooms and common area.	The area has an Office broke wit an open office up stairs and a control room down stair, Has 2 washrooms up stair ladies and ge and 2 down stair and a common area. And a common area.
no of workers 1	1	,	
City -Centre Sub station	At land Mawe Railway station area	Two large buildings with large control rooms, 4 Offices and 2 washrooms and the other with large control room and 2 washrooms downstairs and 2 upstairs	Has two separate blocks one with Offices, protection are and 2 washrooms and a Kitchen .The other with large control room and washrooms downstairs and 2 upstairs and a common areas.
Minimum no of worke	ers 2		
Ridgeway Sub station	Ridgeways Off Kiambu Rd	Substation with a control room with 2 Offices ,kitchen and 2 Washrooms	1 acre plot Substation with a Control room with 2 Offices, a kitchen and 2 Washrooms and Common area.
Minimum no of worke	ers 1		
Kimathi substation	Kimathi Estate, off Jogoo Rd	This is a manned Substation	0.6 are plot has one Operators room, Control room, Battery room Breakers room, Relay room and, RMU room, In Addition a Kitche Washroom and Parking Lot area
Minimu	m no of worke		Jogoo Rd

	PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NAIROBI NORTH SUB-COUNTY						
	Contact Person –David M. Nderitu– tel 0721-737594; Sammy Wachira 0722 769 562						
13.	Komorok Substation	Komorok Off Kangundo near Saika estate.	This is a manned Substation.	1-acre plot has operator room, an office, a Control room, Switch yard Kitchen, Parking area, and a common area.			
	Minimum no of workers 1						
14.	West lands substation.	West land Off Lower Kabete Rd	This is a manned Substation.	1-acre plot with a control room, Washroom, Parking lot, and a yard with grass compound.			
Minimum	no of workers 1	1					
18.	Jevanjee sub- station	Down town next to the Bus station	Is a two-floor building and a substation.	An open office and operator's room down stair, Stairs and some Offices up stair and compound area. The substation as two washrooms.			
Minimum	no of workers 1	•	1	•			

## 10. NAIROBI SOUTH SUB-COUNTY –

				This area includes 5 communal toilets and
1.	Mbotela Staff	Mbotela - Off	Staff Quarters	bathrooms, 4 Storey staff houses and a
	Quarters	Jogoo Road		compound of approximately 1.5 acres, with
				perimeter fence. Work entails thorough cleaning of common areas.
				creaming of common areas.
				Finishes in these areas are terrazzo, cabro,
				cement screed. Ensure the grass in the
				compound is thorough cleaning of common
				areas, cut to the acceptable level, unblock ar
				clear drains ensuring there is no stagnant wa
				Carry out general and ground maintenance
				within the compound tendering flowers and
				flowerbeds. Garbage collection and disposal
				weekly basis.

SUB-C	OUNTY	<b>PTION AND SUMM</b> A l M. Nderitu– tel 0721-		NING SPECIFICATIONS – NAIROBI SOUTH  tamau –0722 682 869
2.	Machakos Office um no of worke	Machakos Town off Machakos Rd on the ground floor of the Red Cross building.	Office	This refers to an office area on the ground floor measuring approximately 2000 square feet and comprise of main office, 3 No. Smaller offices store 4No. WC, 2 urinals, 2 WHB shed, kitchen and parking slots (8). The finish is tiled. Work entails thorough cleaning of offices, garbage collection and disposal on weekly basis
3	Emali New Office	Along Nairobi- Mombasa Road behind the Shell Petro Station	Office	<ul> <li>The area is approximately 3,282 sq. ft on the first floor of the building and has 4 washrooms.</li> <li>Floor finish is ceramic.</li> <li>The work entails sweeping and mopping of office twice daily, washroom cleaning and disinfecting.</li> <li>Cleaning and shining of windows daily.</li> <li>Dusting and shining of furniture and fixtures.</li> <li>Machine wash after every two weeks.</li> <li>Discarding of any litter twice daily.</li> <li>Supply of toilet papers always.</li> <li>Supply moth balls to urinals always (when applicable) and ensure the premise is clean.</li> <li>Avail disinfectant detergent/ soap all the time.</li> <li>Curtain cleaning once per month,</li> <li>Vacuum cleaning of chairs after every 3 months, disinfecting telephone heads on weekly basis, removing cob webs and wall cleaning when necessary.</li> <li>Garbage collection and disposal on weekly basis.</li> <li>Clearing of store yard.</li> </ul>
Minim	um no of work	ers 2	1	1
4	Wote Office	Along the main Machakos – Makueni Road	Office	The area is approximately 2,500 sq. ft on the first floor of the building and has 4 washrooms.

### PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NAIROBI SOUTH **SUB-COUNTY** Contact Person – David M. Nderitu– tel 0721-737594; Lucy Kamau – 0722 682 869 Paved Parking /storage yard measuring opposite Kenol **Petrol Station** 5000 sq.ft. The floor is tiled. > The work entails sweeping and mopping of office twice daily, washroom cleaning and disinfecting. > Cleaning and shining of windows > Dusting and shining of furniture and fixtures. Machine wash after every two weeks. > Discarding of any litter twice daily. > Supply of toilet papers at all times. > Supply moth balls to urinals at all times (when applicable) and ensure the premise is clean. Avail disinfectant detergent/ soap all the time. > Curtain cleaning once per month, Vacuum cleaning of chairs after every 3 months, disinfecting telephone heads on weekly basis, removing cob webs and wall cleaning when necessary. > Garbage collection and disposal on weekly basis. Minimum no of workers 2 5 Mlolongo Within Mlolongo Town Office The area is approximately **5,402sq. ft** office North of Mombasa Road on the Ground floor of the building adjacent to Anthena and has 4 washrooms plus urinal. Hotel and to the East of > Floor finish is ceramic tiles. Solomon School and > Ample parking. Mulley's Supermarket > The work entails sweeping and mopping of office twice daily, washroom cleaning and disinfecting. > Sweeping and cleaning the parking area. Cleaning and shining of windows

> Dusting and shining of furniture and

Machine wash after every two weeks.
Discarding of any litter twice daily.
Supply of toilet papers at all times.

fixtures.

SUB-C	COUNTY		ARY OF CLEANING 737594; Lucy Kamau -	SPECIFICATIONS – NAIROBI SOUTH  -0722 682 869  Supply moth balls to urinals at all times (when applicable) and ensure the premise is cleaned twice daily.  Avail disinfectant detergent/ soap all the time.  Curtain cleaning once per month,  Vacuum cleaning of chairs after every 3 months, disinfecting telephone heads on weekly basis, removing cob webs and wall cleaning when necessary.  Garbage collection and disposal on weekly basis.
Minim 6	Matuu Office	Along Thika – Garissa Highway next to Ndallas Hotel	Office	<ul> <li>The area is approximately 924 sq. ft on the Ground floor of the building and has 2 washrooms.</li> <li>Floor finish is terrazzo.</li> <li>The work entails sweeping and mopping of office twice daily, washroom cleaning and disinfecting.</li> <li>Cleaning and shining of windows daily.</li> <li>Dusting and shining of furniture and fixtures.</li> <li>Machine wash after every two weeks.</li> <li>Discarding of any litter twice daily.</li> <li>Supply of toilet papers at all times.</li> <li>Supply moth balls to urinals at all times (when applicable) and ensure the premise is cleaned twice daily.</li> <li>Avail disinfectant detergent/ soap all the time.</li> <li>Curtain cleaning once per month,</li> <li>Vacuum cleaning of chairs after every 3 months, disinfecting telephone heads on weekly basis, removing cob webs and wall cleaning when necessary.</li> <li>Garbage collection and disposal on weekly basis.</li> </ul>

SUB-C	PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NAIROBI SOUTH SUB-COUNTY  Contact Person –David M. Nderitu– tel 0721-737594; Lucy Kamau –0722 682 869				
Minim	um no of worke	ers 1			
7	Kibwezi town office	Kibwezi	Offices	This refers to approximately <b>1254.74 square feet</b> office space on the ground floor of California Plaza with enclosed rear parking.	
				There are two offices, ablution, two stores and a kitchen. Work entails thorough cleaning of offices, parking area, toilets; machine was every month, garbage collection and disposal on weekly basis.	
Minim	um no of worke	ers 1			
8	MtitoAndei Office New Office	Located Off Mombasa – Nairobi highway Sparkle Centre Bulding	Office	Consists of 2 No. adjacent rooms measuring approximately <b>736 sg. feet</b> Office The floor finish is ceramic tiles  Cleaning works entails: - Sweeping and Mopping of office floor twice daily Dusting and shining of windows daily. Dusting and shining of furniture and fixtures Discarding any litter twice daily. Ensure that disinfectant detergent/ soap is availed always. Sweeping and mopping of front veranda twice daily. Generally, ensure the premises are clean Curtain and blinds cleaning once per month Vacuum cleaning of chairs after every three month Scrubbing of the floor every month	
Minim	um no of worke	ers 1			
9	Ruai office	Along Kangundo Rd next to Ruai Girls High School	Office	The area is approximately 1,650 sq. feet on the ground floor of the building and has 3 washrooms. The floor is tiled.  The work entails sweeping and Mopping of office twice daily, toilet cleaning and disinfecting, Machine wash every month. Cleaning and shining of windows daily. Dusting and shining of furniture and fixtures Discarding of any litter twice daily. Supply of toilet papers at all times. Supply moth balls to urinals at all times (when applicable) and generally ensure the	

		CRIPTION AND SU	MMARY OF CL	EANING SPECIFICATIONS – NAIROBI SOUTH
	COUNTY			V 0700 (00 0 0 0
Contac	ct Person –L	0avid M. Nderitu– tel 0	)721-737594; Lucy	v Kamau –0722 682 869
	T	1	T	
				premise is clean. Ensure that disinfectant detergent/
				soap is availed all the time. Curtain cleaning once per
				month Vacuum cleaning of chairs after every 3 months.
				Garbage collection and disposal on weekly basis.
Minin	um no of w	orkers 1		
10	Tala	Alono Voncundo	Offices/Yard	This refers to effice approximately 2.255 as ft and
10	Tala Office	Along Kangundo Road in Tala town,	Offices/ i ard	This refers to office approximately 3,355sq ft. and store yard measuring approximately 4,820 sq ft.
	Office	Gerald House,		Work entail off with an appropriate cleaner.
		Matungulu/Kyaume		-Toilets/ basins/ sinks/ urinals should be cleaned
		Watungulu/Kyaume		with appropriate disinfectant and stains removed at
				least three times a daily. Wash curtains monthly.
				-Thorough cleaning of the office twice daily. Stains
				should be rubbed y ensuring that there is no
				accumulation of water on the floor.
				- Floor finish of the office is tiles and for the stores
				terrazzo. floor/ door mats should be dusted daily
				and kept dry.
				- Provision of exhausting services when required.
				General maintenance of cleanliness in the common
				areas.
				Supply of adequate toilet papers to the toilet daily
				-Vacuum clean seats after every three months.
				The second secon
	1		minimum no of	f workers 2 (no)
				Workers 2 (no)
11	Athi River	Off Kitengela	Manned	The area is about <b>2 acres</b> , has a toilet, control room.
	sub-station	Kanji ado Rd	substation	The floor finish is terrazzo.
		Inside East Afric	ca	
		Portland Compa	ny	Work entails cleaning of the occupied area under
				supervision, thorough cleaning of the control room,
				dusting the windows, disinfecting communal areas,
				scrubbing of the cabro pavement with soap, ground
				maintenance, garbage collection and disposal on
				weekly basis.
				Provision of exhausting services when required
Minin	l num no of w	orkers 2		
1			~ <b>_</b>	
12	NSSF sub-	Embakasi at NS		The area is 100 sq meters.
	station	House-	Substation	The work entails sweeping, mopping and cleaning of
		Projects/Fedha		the control room, windows, weeding, disinfecting the
		/Tasia Estates		toilet, garbage collection and disposal on weekly basis.
Minin	num no of w	orkers 1		

SUB	MISES DESCRI -COUNTY act Person –David					FICATIONS – NAIROBI SOUTH
Com	act Terson David	u m. mue	11111 161 0721-	737374, Lucy I		2 007
13	New Industrial area Substation	Near To around Industr	· ·	Manned Substation	a toilet. The ne entails thoroug supervision, cl area, general a substation. Garbasis.	by a 2 no. control Rooms, gate house and ew control room floor is tiled. Work the cleaning of the occupied area under eaning and disinfecting of communal and ground maintenance around the rbage collection and disposal on weekly exhausting services when required
Mini	mum no of work	ers 1				
14.	Ruai Sub- station	Along Road	Kangundo	manned Substation	The area is <b>1528 sq meters.</b> The area is occupied by a control room, gate house toilet. The floor finish is terrazzo. Work entails thorough cleaning of the compound. Cleaning of the control room and the toilet. Ground maintenance around the sub-station.  Garbage collection and disposal on weekly basis	
Mini	mum no of work	ers 1		1		,
15	Embakasi subs	station	Off Mombasa Road Next to the KPA depot.	Manned subs	station	This area is 40 acres.  This expansive premise is occupied by a substation within which there is a guard house, a feeder room come office, 2 toilets with a floor finish of terrazzo. Another separate office come kitchen measuring 12mx6.5m with a floor finish of tiles, 4(no) WCs and 3(no) birth rooms and a Yard.  Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance around the substation. Garbage collection and disposal on weekly basis.  Provision of exhausting services when required
Mini	mum no of work	ers 3				

	MISES DESCRI COUNTY	PTION AND SUMMA	ARY OF CLE	ANING SPECIFICATIONS – NAIROBI SOUTH	
		d M. Nderitu– tel 0721-	737594; Lucy I	Kamau –0722 682 869	
16.	New Airport Substation	Industrial area Outering road opposite JKIA	Manned Substation	The area is <b>0.22 acres.</b> It is occupied by a control Room, gate house and a toilet. The floor is cement screed. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance around the substation. Garbage collection and disposal on weekly basis. <b>Provision of exhausting services when required</b>	
Miniı	num no of work	ers 1			
17	Dandora Substation	Along Kangundo road opposite Saika Estate	Manned Substation		
Minii	num no of work	ers 1			
18.	Wamunyu office	30km off Machakos kitui road.	Offices	This refers to approximately <b>625 square feet</b> office space on the ground floor.  There is one office, a wet area has 2(no) wcs, a small corridor and a frontage veranda all finished with floor tiles. stores and a kitchen. Work entails thorough cleaning of offices, toilets; machine wash every month, disinfecting of the office every day, garbage collection and disposal on weekly basis.	
Minii	num no of work	ers 1			

### 11. NAIROBI WEST SUB COUNTY - OFFICES

# PREMISES DESCRIPTION AND SUMMARY OF CLEANING SPECIFICATIONS – NAIROBI WEST SUBCOUNTY

Minimum Number of workers   Scope of Works			T = 0 = 1 = = 0 = 1		
Minimum Number of workers 1  2 New Adams Apple wood Arcade Pay Point Ngong Rd opposite Total Petrol Station.  Minimum Number of workers 1  3 Kitengela office(EPZ Plaza) and stores Yard Ward Ward Station Station Ward Station Station Station Ward Station Station Ward Station Stat	NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
New Adams Arcade Pay Point	1			Office	feet carpeted all through. With one toilet and
Arcade Pay Point Ngong Rd opposite Total Petrol Station.  Minimum Number of workers 1  Kitengela office(EPZ Plaza) and stores Yard the EPZ substation  Yard The EPZ substation  Minimum Number of workers 1  Arcade Pay Point Ngong Rd opposite Total Petrol Station.  Minimum Number of workers 1  The work entails sweeping and Mopping of office twice daily, and disinfecting. Cleaning and shining of windows daily. Dusting and shining of furniture and fixtures.  This is an office area measuring approximately 3610 square feet on the ground floor.  The yard is in an area measuring approximately 3000 square meters a metallic container cum stores. Work entails thorough cleaning of the stores container, cleaning and disinfecting of communal area, general and ground maintenance around the yard.  Garbage collection and disposal on weekly basis.  NB: Ensure Supply of toilet papers at all times as the common areas are cleaned by the Landlord and generally ensure the premise is clean.  Minimum Number of workers 2  Loitoktok Office and Stores.  Comprises an office space, store and 3 toilets (male & female).  The office extends to approximately 1,510sq.ft.  The stores extends to approximately 1,590sq.ft.	Mini	mum Number of w	orkers 1		
Kitengela office(EPZ   Plaza) and stores Yard   Yard is next to the EPZ substation   Yard is in an area measuring approximately 3000 square meters a metallic container cum stores. Work entails   Work entails thorough cleaning of the stores container, cleaning and disinfecting of communal area, general and ground maintenance around the yard.   Garbage collection and disposal on weekly basis.   NB: Ensure Supply of toilet papers at all times as the common areas are cleaned by the Landlord and generally ensure the premise is clean.   Minimum Number of workers 2   Loitoktok Office and Stores.   Offices & Store	2	Arcade Pay	Building off Ngong Rd opposite Total	Pay point	area is 1242 square feet (850sqft office area plus 392 sqft common areas apportionment).  The work entails sweeping and Mopping of office twice daily, and disinfecting. Cleaning and shining of windows daily. Dusting and shining of furniture
office(EPZ Plaza) and stores Yard  Yard is next to the EPZ substation  The yard is in an area measuring approximately 3000 square meters a metallic container cum stores. Work entails Work entails thorough cleaning of the stores container, cleaning and disinfecting of communal area, general and ground maintenance around the yard. Garbage collection and disposal on weekly basis.  NB: Ensure Supply of toilet papers at all times as the common areas are cleaned by the Landlord and generally ensure the premise is clean.  Minimum Number of workers 2  4 Loitoktok Office and Stores.  Offices & Store Loitoktok  Offices & Store The office extends to approximately 1,510sq.ft.  The stores extends to approximately 1,590sq.ft.	Mini	 mum Number of w	orkers 1		
4 Loitoktok Office and Stores.  Osotua Plaza - Loitoktok  Offices & Store  Comprises an office space, store and 3 toilets (male & female).  The floor is tiled.  The office extends to approximately 1,510sq.ft.  The stores extends to approximately 1,590sq.ft.	3	office(EPZ Plaza) and stores	Yard is next to the EPZ	Offices and yard.	3610 square feet on the ground floor.  The yard is in an area measuring approximately 3000 square meters a metallic container cum stores. Work entails  Work entails thorough cleaning of the stores container, cleaning and disinfecting of communal area, general and ground maintenance around the yard.  Garbage collection and disposal on weekly basis.  NB: Ensure Supply of toilet papers at all times as the common areas are cleaned by the Landlord
and Stores.  Loitoktok  (male & female).  The floor is tiled.  The office extends to approximately 1,510sq.ft.  The stores extends to approximately 1,590sq.ft.	Mini	mum Number of w	orkers 2	•	
		Loitoktok Office	Osotua Plaza -	Offices & Store	<ul> <li>(male &amp; female).</li> <li>The floor is tiled.</li> <li>The office extends to approximately 1,510sq.ft.</li> </ul>
IVITITITITITI I VITITUDEC DI WOFKEIN Z	Mini	⊥ mum Number of w	orkers 2	l	222 Stores entends to approximately 1,0004111

NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
5	Rongai office ( Masai Mall)	(2 <sup>nd</sup> floor of Masai Mall	Offices & stores yard	This refers to an office block approximately <b>4200</b> square feet. the floor is mainly tilled and 4 communal toilets
				The yard contains office (metal container) and a compound approximate 5000 square feet with grass and flowers.  NB: Ensure Supply of toilet papers at all times as the common areas are cleaned by the Landlord and generally ensure the premise is clean.
	num Number of w			
6	Kajiado town	.Kajiado town	Offices	This is an office area measuring approximately 1,700 square feet on the ground, and 1st floors, with toilet having WC's. The premises are fully complete with all finishes done including floor tiles to all the areas and cabro paving on enclosed parking area. Work entails thorough cleaning of offices, dusting, garbage collection and disposal on weekly basis. Cleaning of all communal/common areas, tending to flowers inside the offices, Cleaning of door mats, drainage clearance, and cleaning of office seats.  Provision of exhauster services when required.
	num Number of w	orkers 2		
7	Ngong office	Ngong town	Offices	The area is approximately 1256 sq. feet on the first floor of the building. The two office spaces are adjacent to each other (F10 and F11). The floor is tiled.  The work entails sweeping and Mopping of office twice daily, and disinfecting. Cleaning and shining of windows daily. Dusting and shining of furniture and fixtures  Discarding of any litter twice daily. Supply of toilet papers at all times as the common areas are cleaned by the Landlord and generally ensure the premise is clean. Ensure that disinfectant detergent/ soap is availed all the time. Curtain cleaning once per month Vacuum cleaning of chairs after every 3 months. Garbage collection and disposal on weekly basis.  NB: Ensure Supply of toilet papers at all times as the common areas are cleaned by the Landlord and generally ensure the premise is clean.

NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
8	Karen office	Off Ngong Road next to Nakumatt Junction	Offices and storage facility	The office is constructed on an area of approximately 1300 Square meters and occupies an area of 108 Square meters. Floor is tiled and compound in cabro.
				Work entails thorough cleaning of the occupied offices, cleaning and disinfecting of communal area, general and ground maintenance. There are drainage channels and gutters that also requires cleaning. Garbage collection and disposal is on weekly basis. The floor finish is mainly terrazzo and tiles.
Minii	num Number of w	orkers 1		
9	Nairobi Show Ground	Ngong Rd situated on Jamhuri ASK Grounds	Offices	The Offices stand on an area of approximately 1500sq ft. This refers to three floors which include 5 washrooms, boardroom, lounge, two balconies, Staircases, and two kitchens .Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance which involve weeding the flowerbed, pruning, & watering. The garbage collection and disposal is on weekly basis. The floor finish is mainly tiles. The cleaning is done in the month of September and October every year.  (before, during and after the show)  Also empting the septic tank as and when required.
Minir	num Number of w	orkers 3		required.
10	Namanga office and yard	Namanga Town	Offices & yard	This refers to an office block approximately <b>632</b> square feet with I toilet.
				There is also a yard which has a gate house. Thorough cleaning of offices, cleaning of communal areas in office. The yard also requires bush clearing as required. Garbage collection and disposal on weekly basis.
Minin	num Number of w			<u> </u>
11	Kileleshwa substation	Kileleshwa Area next to Jacaranda Special school	Manned Substation	The area is about <b>3000 sq. metres</b> , and it is occupied by a Control Room, a feeder room, offices, communal toilet, Guardroom and Yard. The finish is terrazzo and cement screed. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance

NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				around the substation. Garbage collection and
				disposal on weekly basis.
	num Number of w	orkers 1		
12	Karen Substation	Off Ngong Road next to Nakumatt Junction	Manned Substation	The area is <b>9000 square meters</b> . This refers to a substation within which there is a feeder room, Offices, Guardroom and Yard. The floor finish is terrazzo and cement screed. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, exhauster-services, general and ground maintenance around the substation. Garbage collection and disposal on weekly basis.
	num Number of w			
13	Matasia Substation	Ongata Rongai - off Magadi Road opposite Nkoroi Primary School	Manned Substation	The area is <b>0.5</b> acres. It accommodates a Control Room within which there is a feeder room, Offices, communal toilet, Guardroom and Yard. The finish is terrazzo and cement screed. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general ground maintenance around the substation. Garbage collection and disposal on weekly basis. This includes Provision of Exhauster services as and when required
	num Number of w			
14	Ngong Road Sub-station	Next to city Mortuary off Ngong Road	Manned Substation	The area is <b>2 acres</b> . This refers to a gate house, toilets, and control room. The floor finish is <b>Terrazzo</b> .
				Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area. Scrubbing the Cabro pavement with soap & water and ground maintenance around the substation. Garbage collection and disposal on weekly basis.
Minii	num Number of w	orkers 1		
15	Bomas	Along - Langata	Manned Substation	
	Substation	road near Nakumatt Galleria.		This refers to a control Room measuring 100 square metres, gate house and toilet. The floor finish is terrazzo. Work entails thorough cleaning of the occupied area of terrazzo, ceramic tile surfaces and cabro paved compound measuring 360 square metres. Scrubbing the Cabro pavement with soap & water, cleaning and disinfecting of communal area, general and

NO.	PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
				ground maintenance around the substation.
Mini	Name have of an	oulcous 1		Garbage collection and disposal on weekly basis.
16	num Number of w	Located Within	Manned Substation	It agains an area of 100 gavers motors
	Ngong Substation	Ngong town	Mained Substation	It occupies an area of <b>100 square meters</b> . This area is occupied by a control Room, gate house and toilet. The floor finish is terrazzo. Work entails thorough cleaning of the occupied area of terrazzo, ceramic tile surfaces and cabro paved compound measuring 360 <b>square metres</b> , scrubbing the cabro pavement with soap and water, cleaning and disinfecting of communal area, general and ground maintenance around the substation. Garbage collection and disposal on weekly basis.
	num Number of w		M 101 ( )	. 0.7
17   Minii 18	Kabete Substation  mum Number of w Nairobi West Substation		Manned Substation  Manned Substation	The area is 0.7 acres  This refers to a control Room, gate house and toilet .Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance around the substation. Garbage collection and disposal on weekly basis.  It occupies an area of 100 square meters.  This area is occupied by a control Room, gate house and toilet. Cabro paved compound
		С		measuring <b>360 square metres</b> . The floor finish is terrazzo. Work entails thorough cleaning of the occupied area of terrazzo, ceramic tile surfaces and cabro paved compound, scrubbing the cabro pavement with soap and water, cleaning and disinfecting of communal area, general and ground maintenance around the substation. Garbage collection and disposal on weekly basis.
	num Number of w			les at the
19	Ragati Substation	Ngong Rd Next to NHIF Building	Manned Substation	The Substation is constructed on an area of approximately 0.02030 acres The staff quarters require general maintenance, slashing, and sweeping of the compound. The substation is composed of a block of two floors which include two control Rooms, Staircase, gate house, 2 toilets, and a kitchen .Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance around the

NO. PREMISE	LOCATION	DESCRIPTION	SCOPE OF WORK
			substation. Garbage collection and disposal is on
			weekly basis. The floor finish is mainly terrazzo
			and tiles.
Minimum Number of w	vorkers 1		
Mamlaka Substation and office	Statehouse Road Upper Hill	Manned Substation & office	The Substation is constructed on an area of approximately 1 acre The substation The substation is composed lower floor with Kitchen, Gents, Ladies, Corridor, office room and a store. The upper the floor has Kitchen, Gents, and Ladies, control room, Panel room and security room and office. Work entails thorough cleaning of the occupied area under supervision, cleaning and disinfecting of communal area, general and ground maintenance around the substation. Garbage collection and disposal is on weekly basis. The floor finish is mainly terrazzo and tiles. and office require general maintenance, slashing, and sweeping of the compound.