


ROOF DETAILS
Roof pitch at 22.5 degrees
14 gauge 26 box profile sheet fixed on
100x50x2mm cypress timber purlins at 1200mm c/c on
100x75mm cypress timber rafter at 1200mm c/c
100x75mm cypress timber tie joist at 1200mm c/c
75x75mm cypress timber tie and truss
100x100mm cypress timber wall plate



REGIONAL SIGN OFF

DESIGNATION	SIGN	DATE
APPROVED BY REGIONAL MANAGER SOUTH NYANZA		22/02/2024
RECOMMENDED BY COUNTY BUSINESS MANAGER HOMABAY		26/02/2024
CHECKED BY PRINCIPAL HR& ADMIN OFFICER SOUTH NYANZA		14/02/2024
CHECKED BY KNR PROPERTY OFFICER WESTERN/SOUTH NYANZA		

CENTRAL OFFICE SIGN OFF


DESIGNATION	DATE	SIGN
APPROVED BY MANAGER DISTRIBUTION NETWORK	25/3/24	
APPROVED BY MANAGER ADMIN& PROPERTY	27/2/24	
CHECKED BY PRINCIPAL PROJECTS OFFICER	27/02/24	

Proposed Transformer repair Shed
Location: HOMABAY STAFF HOUSES
LAND


REF	REV	DATE	SIGN



DRAWING NO: 01
KENYA POWER



REGIONAL SIGN OFF				CENTRAL OFFICE SIGN OFF				Proposed Transfomer repair Shed				DRAWING NO: 01	
APPROVED BY	DESIGNATION	SIGN	DATE	APPROVED BY	DESIGNATION	DATE	SIGN	REF	REV	DATE	SIGN	KENYA POWER	
APPROVED BY	REGIONAL MANAGER SOUTH NYANZA		22/02/2024	APPROVED BY	MANAGER DISTRIBUTION NETWORK	22/02/2024						Kenya Power	
RECOMMENDED BY	COUNTY BUSINESS MANAGER HOMABAY		26/02/2024	APPROVED BY	MANAGER ADMIN & PROPERTY	27/02/2024							
CHECKED BY	PRINCIPAL HR & ADMIN OFFICER SOUTH NYANZA		14/02/2024	CHECKED BY	PRINCIPAL PROJECTS OFFICER	27/02/2024							
CHECKED BY	SNR PROPERTY OFFICER WESTERN/SOUTH NYANZA		14/02/2024	DRAWN BY	ROGERS MWENDA	08/02/24							
CHECKED BY	BUILDING TECHNICIAN SOUTH NYANZA		14/02/2024									Scale 1:100	



SITE PLAN

SIGN OFF

	DESIGNATION	SIGN	DATE
APPROVED BY	REGIONAL MANAGER SOUTH NYANZA	<i>[Signature]</i>	22/02/2024
RECOMMENDED BY	COUNTY BUSINESS MANAGER HOMABAY	<i>[Signature]</i>	20/02/2024
CHECKED BY	PRINCIPAL HR & ADMIN OFFICER SOUTH NYANZA	<i>[Signature]</i>	14/12/24
CHECKED BY	PROPERTY OFFICER NORTH EASTERN		

	DESIGNATION	DATE	SIGN
APPROVED BY	MANAGER DISTRIBUTION NETWORK	22/02/24	<i>[Signature]</i>
APPROVED BY	MANAGER ADMIN & PROPERTY	27/02/24	<i>[Signature]</i>
CHECKED BY	PRINCIPAL PROJECTS OFFICER		

Proposed Transformer repair Shed
Location: HOMABAY STAFF HOUSES
LAND (SITE PLAN)

REF	REV	DATE	SIGN



DRAWING NO: 01
KENYA POWER