



**Kenya Power**

---

**Central Office** – P.O. Box 30099 – 00100,  
Telephone – 254-02-3201000  
Fax No. 254-02-3514485  
Stima Plaza, Kolobot Road,  
Nairobi, Kenya

**KP1/9AA-2/79/OT/ICT/16-17/rmm**

**9<sup>th</sup> May, 2017**

Dear Sir/Madam

**ADDENDUM (I) TO TENDER NO. KP1/9AA-2/79/OT/ICT/16-17 FOR  
PROVISION OF LEASED DATA LINKS TO KPLC OFFICES**

The following amendments are made to the specified provisions of the Tender document for provision of leased data links to KPLC offices. Save where expressly amended by the terms of this Addendum, the Principal Tender Document shall continue to be in full force and effect. The provisions of this Addendum shall be deemed to have been incorporated in and shall be read as part of the Principal Tender Document.

Bidders are informed that clarifications requested has been provided as per the attached document -see *APPENDIX I*.

All the other terms and conditions remain as per the tender document.

Yours faithfully,

**For: KENYA POWER & LIGHTING COMPANY LIMITED.**

**JOYCE OCHIENG**  
**SUPPLY CHAIN MANAGER-PROCUREMENT**

# APPENDIX I

## TENDER NO. KP1/9AA-2/79/OT/ICT/16-17 FOR PROVISION OF LEASED DATA LINKS TO KENYA POWER OFFICES

### CLARIFICATION ON QUERIES RAISED

<i>Question</i>	<i>Clarifications</i>
On the remote links, where it is stated technology to be either Fiber or microwave, does it give a leeway for VSAT?	No
Share the coordinates for the listed sites	The sites are located within commercial areas of the towns
Are we allowed to participate in some lots and leave out others?	Yes
Are we allowed to propose Satellite transmission medium where fiber and microwave are not available?	No
The tender document states Manufacturer authorization forms and brochures are required to be submitted. If a tender is not quoting or supplying any equipment are they still required to furnish you with Manufacturer authorization forms and brochures were a bidder?	Manufacturers' authorization forms and brochures are required for the equipment to be used to establish the links.